



## SPECIFICATION

MULTI-UNIT HOUSING - HOTELS - OFFICES

ACCESSIBILITY

INSTITUTIONAL

2020

Jacob Delafon

PARIS



## SPECIFICATION 2020

Jacob Delafon has built its name on proven experience:

### Renowned mastery of all materials

We take great care in manufacturing our products so that the quality endures throughout their lifetime.

We offer the following guarantees:

25 years on enameled cast iron

10 years on ceramic ware

10 years on synthetic materials

5 years on taps

5 years on furniture (2 years on mirrors and glass components)

2 years on shower enclosures

### Technical design

Product design includes ease of installation to generate efficiency gains on projects. Today, all the Aleo single-lever basin mixers come with the 5/35" quick-fix tap system.

### Product testing and control

Our products are tested before they reach the market and regularly controlled to meet NF certifications.

### Team dedicated to specification and after-sales service

Our teams are available to help you with your projects every step of the way. We commit to providing spare parts for a minimum of 10 years after the product is discontinued (5 years for furniture).

### Respect for the environment

To facilitate HEQ initiatives, we offer water-efficient solutions: toilets designed to conserve water and other water-saving products.

### Solutions for your requirements

Our products and services offer complete solutions that fit your budget and technical requirements for building and renovation projects, and also meet user expectations.







The logo features the brand name 'Jacob Delafon' in a large, elegant, cursive script. Below it, the word 'PARIS' is written in a smaller, clean, sans-serif, all-caps font.

**WHERE ELEGANCE BEGINS**





---

# PICTOGRAMS















## Furniture

-  Base unit/mirrored cabinet/half unit/tall unit with slow-close door
-  Slow-close drawer
-  Mirror with infrared sensor
-  LED lighting for energy-efficiency, long life and instant on
-  Battery-free  
AC power means no batteries to replace
-  Made in France









## Sanitaryware

-  Product delivered in 1 box
-  Water-efficient  
WC: Water-saving cistern  
Brassware: Reduced flow and optimal performance
-  Slow-close seat
-  41 cm toilet height for more seating comfort

## Taps and fittings

-  Water-efficient  
Reduced flow and optimal performance
-  Precise temperature control
-  50% Eco water-saving cartridge with sensitive flow control
-  Single-lever tap equipped with a water- and energy-efficient cartridge (cold water delivery when lever is in centre position)
-  Water-efficient  
Maximum flow 5L/min
-  Sequential cartridge  
Saves energy by starting cold then mixing with hot water
-  Personalisation  
Customise your experience
-  Safety - Cold body  
Insulated hot water passageways
-  Anti-twist feature allows hose to rotate
-  Wide water coverage envelops you in an energizing spray
-  Lasting finish  
Corrosion-resistant
-  Integrated diverter  
Easy handling and seamless design
-  Environmental Product Declaration available for this product
-  Quick tap fixing system

## Bathing/Showering

-  Product delivered in 1 box
-  Adjustable, easy-to-install bath feet
-  Anti-slip
-  Precise temperature control
-  Quick-fix system
-  Anti-twist feature allows hose to rotate
-  Easy to clean  
with a damp cloth
-  Made in France

### BUILDING & RENOVATION

Suitable for building and renovation projects

### WATER CONSERVATION

Water-efficient products

### PRM

Products compliant with PRM regulations



The accessibility section was drafted in partnership with the CEP-CICAT resource centre.



This label identifies suitable bathroom products or individuals with limited mobility. These products comply with French and European standards, meet specific technical criteria and aim to provide comfort and esthetics over strict functionality. This label is exclusively reserved for AFISB manufacturer-members.



Sustainably-managed, legally-sourced, wood-based materials. To do so, we are committed to promoting the use of legal, certified wood. All our wood-based products are 70% PEFC-certified. PEFC is the «Programme for the Endorsement of Forest Certification.» It aims at promoting sustainable forest management and demonstrates to consumers that PEFC-certified wood or wood-based products contribute to sustainable forest management.



An Environmental and Health Product Declaration (FDES) provides information about the life-cycle analysis (LCA) of a particular product. They are based on French NF standards applying to building products and analyze data for the product's entire life, by including a product's manufacture, transport, use, upkeep and end-of-life (recycling, disposal) and therefore add up the impacts.




## Taps




**CP**  
Chrome

## Baths



**00**  
White

## Flight Safe shower trays



**00**  
White



**S21**  
Satin Silver



**M53**  
Anthracite



**M65**  
Taupe

## Furniture & Countertops

### Structured melamines for furniture



**N26**  
Grey Concrete



**N29**  
Mink Brown  
Leather



**NR2**  
Taupe Leather



**NR4**  
White Marble



**E10**  
Quebec Oak



**E16**  
Light Walnut




**E19**  
Champagne  
Oak


### Melamines for Tolbiac furniture



**ECD**  
Colorado Oak



**NGY**  
Grey



**NWT**  
White



**E52**  
Chêne Tabac



**E70**  
Arlington  
Oak




**E71**  
Grey Oak



**E73**  
Chêne Tranché



**N14**  
Anthracite  
Grey



**N18**  
White

### Solid wood for Parallel countertops



**P6**  
Natural Oak



**P7**  
Dark Oak



**P12**  
White Oak

### Laminates for Parallel countertops




**NR4**  
White Marble



**E10**  
Quebec Oak



**N14**  
Anthracite  
Grey



**N18**  
White

### CaroCeram for Parallel countertops



**L80**  
Carrara Marble




**L81**  
Black Marble



**L82**  
Marbre Tabac



**L83**  
Corten Steel



**L84**  
Beige

## Accessories Odéon Rive Gauche


### Handles for Odéon Rive Gauche furniture



**R6**  
White



**R5**  
Chrome



**R9**  
Incomparable  
Black




**R7**  
Bronze



**R8**  
Gold


### Legs for Odéon Rive Gauche furniture



**00**  
White



**CP**  
Chrome



**BLV**  
Incomparable  
Black




**CPR**  
Bronze



**GLD**  
Gold


## Panolux wall panels (front & back)



**D28**  
Matte White




**D26**  
Honey Oak




**D27**  
Marble  
Stone



**D29**  
Stone Grey  
Polished  
Concrete



**D40**  
Graphite  
Grey




**D41**  
Brown  
Marble




**D42**  
Matte Slate  
Grey



**D43**  
Polished Iron




**D44**  
Mineral  
White



**HU**  
Gloss White



**D28**  
Matte Slate  
Grey



**D26**  
Dark Oak



**D27**  
Granite



**D29**  
Iron Grey  
Polished  
Concrete



**D40**  
Light  
Cement




**D41**  
White  
Marble



**D42**  
Beech



**D43**  
Antique Iron



**D44**  
Mineral  
White



**HU**  
Gloss Slate  
Grey



**Écrin**  
ready-to-install  
shower  
(Details page 49)

See our furniture lacquer offer on p.127



# TABLE OF CONTENTS

## MULTI-UNIT HOUSING — HOTELS — OFFICES

### Washstations 6 – 17

Parallel, Vox, Odéon Rive Gauche, Struktura, Tolbiac

### Sanitaryware 18 – 33

Inset and vessel basins

Washbasins, pedestals or semi-pedestals

Vessel basins

Handwash basins and cabinets

Rimmed or rimless wall-hung toilets

Compact wall-hung toilets

Rimmed or rimless toilets

Compact and corner toilets

### Showers 34 – 63

Synthetic shower trays

Ceramic shower trays

Ecrin ready-to-install shower

Wall panels

Shower enclosures

### Bathing 64 – 69

Cast iron baths

Rectangular acrylic baths

Asymmetric and corner acrylic baths

Acrylic shower-baths

### Bathroom taps 70 – 77

### Kitchen taps 78 – 79

### Water delivery 80 – 87

Modulo digital system

DTV Prompt

Shower columns

Shower sets

## ACCESSIBILITY

### Sanitaryware 88 – 95

Elongated wall-hung toilets

Rimmed or rimless wall-hung toilets

Raised close-coupled toilets

Vanity basins, washbasins and handwash basins

### Showers 96 – 109

Ceramic shower trays

Flight shower trays

Accessories



The accessibility section was drafted in partnership with the CEP-CIGAT resource centre.

## INSTITUTIONAL

### Sanitaryware 110 – 124

Elongated wall-hung toilets

Rimmed or rimless wall-hung toilets

WC pans

Urinals

Washbasins and handwash basins



Parallel countertop 200 cm, in Black Marble CaroCeram EF77D-2000-L81. Rythmik Pure vessel basins EV0112-00. Parallel niche units 60 cm, White melamine EB1700-N18. Rectangular mirrors with edge lighting 6 cm EB1440-NF.

#### Furniture lacquers

#### Melamine furniture and laminate countertops

#### Solid wood countertops

#### CaroCeram countertops



Gloss White - N18

Gloss Anthracite Grey - N14

White Marble - NR4

Québec Oak - E10

Natural Oak I - P6

Dark Oak - P7

White Oak - P12

Carrara Marble - L80

Black Marble - L81

Marble Tabac - L82

Corten Steel - L83

Beige - L84

## Parallel washstations

### CUSTOMISABLE

- Made-to-measure countertops 60 to 200 mm, with or without cutouts
- Choice of vanity basins with or without tap decks
- 3 material options for countertops: laminate, solid wood and CaroCeram

### FUNCTIONAL

- Suits all bathrooms
- Shelves, base units, niches or tall units offering multiple storage layouts

### ESTHETIC

- Stylish, pared-down lines
- Combines with all vanity basin types
- Invisible shelf fixings
- Furniture available in over 80 lacquers and 4 melamines

### Sample made-to-measure configurations with laminate countertops:



**EB70-1600-YYY Countertop** 160 x 52 cm with 2 cutouts for Vox vessel basins and tap drilling. Replace YYY with finish code.

**EVG102-00 Vox - Vessel basin** 40 x 40 cm (order 2)

**EB509-BME** Must order with set of **2 basic brackets** to install countertop (order 2 sets if countertop is over 100 cm).



**EB508-BME Set of 2 end caps**

**EB507-BME Towel rail** (order 2)

**EB701-YYY Niche** 80 x 50 x 45 cm

Note: Replace YYY with finish code.

**EB1410-NF Mirror** L 50 x H 65 cm LED lighting 7W, 230V, class II IP44 (order 2) and anti-steam feature (order 2).



**EB07-1600-YYY Countertop** 160 x 52 cm with 1 cutout for Vox double basin. Replace YYY with finish code.

**EVA122-00 Vox - vessel basin** 120 x 45 cm.



**EB1703-YYY Base unit** 80 x 50 x 44.6 cm with 2 slow-close drawers

**EB509-BME** Must order with set of **2 basic brackets** to install countertop (order 2 sets if countertop is over 100 cm).

**EB508-BME Set of 2 end caps**

**EB507-BME Towel rail bracket**

**EB1418-NF Mirror** L 120 x H 65 cm LED lighting 15W, 230V, class II IP44.



**EB10-0600-YYY Countertop** 60 x 52 cm with 1 cutout for Delta Pure vessel basin and tap drilling. Replace YYY with finish code.



**EVR002-00 Delta Pure - vessel basin** Ø 41 cm.

**EB509-BME** Must order with set of **2 basic brackets** to install countertop (order 2 sets if countertop is over 100 cm).

**EB514-YYY Base unit** 57 x 50 x 44.6 cm with 1 slow-close drawer.

Note: Replace YYY with finish code.

**EB1430-NF Mirror** L 60 x H 65 cm LED lighting 6W, 230V, class II IP44.







Niche unit in Frosted Chestnut lacquer 100 cm EB2035-M59 and ceramic vanity top 100 cm, 1 tap hole, EXAD112-Z-00. Rectangular mirror with LED lighting 100 x 65 cm EB1161-NF.

Furniture finishes

Melamine finishes



Gloss White - N18



Light Walnut - E16



Mink Brown - N29



Québec Oak - E10



White Marble - NR4



## Vox niche base units

### PERSONALISABLE

- 4 niche sizes to solve any space issues

### FUNCTIONAL

- Convenient open niches for hotels

### ESTHETIC

- Streamlined design
- Available in 5 melamines and 96 lacquers to suit all interiors




#### EXAB112-Z-00 Ceramic vanity top with smooth underside

121 x 46 cm

#### EB2036-XX Niche under vanity top

L 120 x 46 x 45 cm

**EB1418-NF Mirror** 120 x 65 cm, with LED lighting and anti-steam.  
Lightbulb: 230V, class II IP44



#### EXAC112-Z-00 Ceramic vanity top with smooth underside


Left basin 101 x 46 cm.

Right basin: **EXAD112-Z-00**

#### EB2035-XX Niche under vanity top

L 100 x 65 x 45 cm

**EB1416-NF Mirror** 100 x 65 cm, with LED lighting and anti-steam.  
Lightbulb: 230V, class II IP44




#### EXAE112-Z-00 Ceramic vanity top with smooth underside

81 x 46 cm

#### EB2034-XX Niche under vanity top

L 80 x 46 x 45 cm

**EB1413-NF Mirror** 80 x 65 cm, with LED lighting and anti-steam.  
Lightbulb: 230V, class II IP44




#### EXAF112-Z-00 Ceramic vanity top with smooth underside

61 x 46 cm

#### EB2033-XX Niche under vanity top

L 60 x 46 x 45 cm

**EB1411-NF Mirror** 60 x 65 cm, with LED lighting and anti-steam.  
Lightbulb: 230V, class II IP44





Base unit in White melamine 100 cm, 2 slow-close drawers and one door EB2544-R7-N18 with wire legs and handles in Bronze. Ceramic vanity top 100 cm, 1 tap hole, EXAU112-Z-00. White metal shelf 90 cm CEB1534-00-P11. Round mirror Ø 70 cm, Bronze frame, EB1177-CPR. Black wall light fixture EB2575-NF.

#### Furniture finishes

#### Melamine furniture finishes

#### Furniture handle and leg colours

#### Ceramic colour



Gloss White - N18

Gloss Anthracite Grey - N14

Québec Oak - E10

Chêne Tabac - E52

White Marble - NR4

Chrome - CP - R5

White - 00 - R6

Bronze - CPR - R7

Gold - GLD - R8

Black - BLV - R9

White - 00

## Odéon Rive Gauche washstations

### COMFORTABLE

- Ceramic vanity tops with wide, deep basin (13 cm) to prevent splashes

### FUNCTIONAL

- Wide selection of furniture
- Side ledges for day-to-day items

### ESTHETIC

- Contemporary design
- Harmonious colour choices
- Wire legs and handles in matching colours



**EXAS112-Z-00 Vanity top with smooth underside** 141 x 51 cm

**EB2546-RX-XX Base unit\***


L 140 x 51 x 57 cm

2 slow-close doors and drawers. Also comes with 6 drawers, 4 drawers and 1 drawer, 1 niche and 2 doors.

**EB1420-NF Mirror** 140 x 65 cm with LED lighting. Lightbulb: 230V, 15W, class II IP44

**EB2569-YY Wire legs** in steel, available in 5 finishes.

Note: Replace YY with finish code.



**EXAT112-Z-00 Vanity top with smooth underside** 121 x 51 cm

**EB2545-RX-XX Base unit\***

L 120 x 51 x 57 cm


2 slow-close drawers and 1 large lower drawer.

Also comes with 3 drawers, 2 drawers and 2 drawers 1 niche.

**EB1418-NF Mirror** 120 x 65 cm with LED lighting. Lightbulb: 230V, 15W, class II IP44

**EB2569-YY Wire legs** in steel, available in 5 finishes.

Note: Replace YY with finish code.




**EXAU112-Z-00 Vanity top with smooth underside** 101 x 51 cm

**EB2554-RX-XX Base unit\***

L 100 x 51 x 57 cm

1 slow-close drawer and a niche. Also comes with 3 drawers, 2 drawers, 1 door, 1 upper drawer and 1 short-height drawer.

**EB1416-NF Mirror** 100 x 65 cm with LED lighting. Lightbulb: 230V, 15W, class II IP44



**EVR002-00 Delta Pure round vessel basin** in delicate ceramic Ø 41 cm, no tap hole or overflow.

**EB2502-XX Countertop for Delta Pure vessel basin**


Note: Replace XX with finish code

**EB2522-XX Base unit\*** L 80 x 51 x 57 cm

2 slow-close drawers.

Also comes with 3 drawers, 1 upper drawer and 1 short-height drawer.

**EB1413-NF Mirror** 80 x 65 cm with LED lighting. Lightbulb: 230V, 15W, class II IP44



\*Comes in other configurations. Consult our Price Catalogue or Collections catalogue.  
Note: Replace XX with finish code.





Base unit 77 cm in White melamine, with slow-close drawer EB1285-N18. Ceramic vanity top 80 cm, 1 tap hole EXH112-00.

Melamine furniture  
finishes

Ceramic colour

Gloss White - N18



Gloss Anthracite Grey - N14



Light Walnut - E16



White - 00









Base unit in Colorado Oak melamine, 120 cm, 4 drawers EB2355-ECD and ceramic vanity top 121 cm EXVA112-00. Tall unit in Colorado Oak melamine 40 cm, 2 doors, EB2362-ECD. Rectangular mirror with LED lighting and anti-steam 110 x 65 cm, EB1417-NF.

Melamine furniture  
finishes

White - NWT



Colorado Oak - ECD



Grey - NGY



## Tolbiac washstations

### PRACTICAL

- Ceramic vanity tops: durability, hygiene, easy care
- Wide ledges and deep, geometric basins to make your daily routine easier
- Adjustable, pullout drawers

### FUNCTIONAL

- Base units (with doors or drawers) are fitted with cutout handles for easy opening
- Damper system for quiet, soft close on drawers and doors

### ESTHETIC

- 3 melamine furniture finishes: Gloss White, Anthracite Grey and Colorado Oak
- Furniture interiors have thin metal sides for optimal storage capacity



### Sample configurations with drawers:



**EXVA112-00 Ceramic vanity top**  
121 x 46 cm

**EB2355-XX 4-drawer base unit**  
L 120 x 46 x 52 cm  
Slow-close drawers  
Note: Replace XX with finish code.


**EB1418-NF Mirror** L120 x H65 cm  
LED lighting 15W, 230V, class II IP4



**EXUA112-00 Ceramic vanity top**  
101 x 41 cm

**EB2354-XX 2-drawer base unit**  
L 98 x 46 x 52 cm  
Slow-close drawers  
Note: Replace XX with finish code



**EB1416-NF Mirror** L100 x H65 cm  
LED lighting 15W, 230V, class II IP4



**EXTA112-00 Ceramic vanity top**  
81 x 46 cm

**EB2352-XX 2-drawer base unit**  
L 79 x 46 x 52 cm  
Slow-close drawers  
Note: Replace XX with finish code



**EB1413-NF Mirror** L80 x H65 cm  
LED lighting 15W, 230V, class II IP4



**EXSA112-00 Ceramic vanity top**  
61 x 46 cm

**EB2350-XX 2-drawer base unit**  
L 59 x 46 x 52 cm  
Slow-close drawers  
Note: Replace XX with finish code

**EB1411-NF Mirror** L60 x H65 cm  
LED lighting 15W, 230V, class II IP4





Grey melamine base unit, 80 cm 2 doors EB2358-NGY and ceramic vanity top 81 cm EXTA112-00. Full height mirror 80 x 107 cm, EB1209-NF.

Melamine furniture  
finishes

White - NWT



Colorado Oak - ECD



Grey - NGY



## Tolbiac washstations

### PRACTICAL

- Ceramic vanity tops: durability, hygiene, easy care
- Wide ledges and deep, geometric basins to make your daily routine easier
- Adjustable, pullout drawers

### FUNCTIONAL

- Base units (with doors or drawers) are fitted with cutout handles for easy opening
- Damper system for quiet, soft close on drawers and doors.

### ESTHETIC

- 3 melamine furniture finishes: Gloss White, Anthracite Grey and Colorado Oak
- Furniture interiors have thin metal sides for optimal storage capacity

### Sample configurations with doors:



**EXVA112-00 Ceramic vanity top**  
121 x 46 cm



**EB2361-XX 4-door base unit**

L 119 x 46 x 52 cm

Slow-close doors.

Note: Replace XX with finish code

**EB1418-NF Mirror** L120 x H65 cm  
LED lighting, 15W, 230V, class II IP4



**EXUA112-00 Ceramic vanity top**  
101 x 46 cm



**EB2360-XX 3-door base unit**

L 99 x 46 x 52 cm

Slow-close doors.

Note: Replace XX with finish code

**EB1416-NF Mirror** L100 x H65 cm  
LED lighting 15W, 230V, class II IP4



**EXTA112-00 Ceramic vanity top**  
81 x 46 cm




**EB2358-XX 2-door base unit**

L 79 x 46 x 52 cm

Slow-close doors.

Note: Replace XX with finish code

**EB1413-NF Mirror** L80 x H65 cm  
LED lighting, 15W, 230V, class II IP4



**EXSA112-00 Ceramic vanity top**  
61 x 46 cm




**EB2356-XX 2-door base unit**

L 59 x 46 x 52 cm

Slow-close doors.

Note: Replace XX with finish code

**EB1411-NF Mirror** L60 x H65 cm  
LED lighting 15W, 230V, class II IP4







Vessel basin without tap deck, EVF102-00. Mirror with edge lighting 60 x 65 cm.

## Vox vessel basins

### WIDE CHOICE

- 6 sizes
- With or without tap deck

### QUICK CARE

- Easy to clean thanks to the basin's soft, cornerless slopes
- Basins glazed on 3 sides (with deck) or 4 sides













### EASY INSTALLATION

- Vanity basins with smooth undersides for a neat, clean installation
- No complicated countertop cutout since bowl depth does not exceed basin height

### STYLE

- Discreet front overflow hole
- Overflow cover supplied
- Basin height 10.5 cm for a delicate vanity look

	With overflow holes		
	1 tap hole	No hole	2 tap holes
<b>120 x 45 x 10.5 cm</b> (with tap deck)	<b>EVA112-00</b>	-	<b>EVA122-00</b>
<b>80 x 45 x 10.5 cm</b> (with tap deck)	<b>EVC112-00</b>	-	-
<b>60 x 45 x 10.5 cm</b> (with tap deck)	<b>EVD112-00</b>	-	-
<b>50 x 45 x 10.5 cm</b> (with tap deck)	<b>EVE112-00</b>	-	-
<b>60 x 40 x 10.5 cm</b> (without tap deck)	-	<b>EVF102-00</b>	-
<b>40 x 40 x 10.5 cm</b> (without tap deck)	-	<b>EVG102-00</b>	-





Oval undermount basins 48 x 31 x 13 cm, EY6102-00. Mirrors 50 x 65 cm with LED lighting and anti-steam, EB1410-NF.

## Vox undermount and inset basins

### WIDE CHOICE

- 4 shapes
- 7 dimensions
- Undermount or drop-in installation
- With or without overflow hole

### QUICK CARE

- Fully glazed inside and outside
- Easy to clean thanks to the basin's soft, cornerless slopes

### EASY INSTALLATION

- Smooth rims for a neat, clean installation

### STYLE

- Smooth, esthetic thanks to the outside glaze
- Discreet front overflow hole
- Invisible overflow channel built into the vanity basin

### Undermount basins




	Dimensions (inside basin)	With overflow holes
Rectangle	48 x 31 x 13 cm	<b>EYA102-00</b>
	36 x 28 x 10.5 cm	<b>EYC102-00</b>
Square	31 x 31 x 13 cm	<b>EYE102-00</b>
Oval	48 x 31 x 13 cm	<b>EYG102-00</b>
	36 x 28 x 10.5 cm	<b>EYI102-00</b>
Round	Ø40 x 13 cm	<b>EYK102-00</b>
	Ø35 x 10.5 cm	<b>EYM102-00</b>


### Undercounter basins




	Dimensions (with rim)	With overflow holes
Rectangle	56.2 x 39.7 x 13 cm	<b>EYB102-00</b>
	44.2 x 36.2 x 10.5 cm	<b>EYD102-00</b>
Square	39.2 x 39.2 x 13 cm	<b>EYF102-00</b>
Oval	56.2 x 39.7 x 13 cm	<b>EYH102-00</b>
	44.2 x 36.2 x 10.5 cm	<b>EYJ102-00</b>
Round	Ø48.2 x 13 cm	<b>EYL102-00</b>
	Ø43.2 x 10.5 cm	<b>EYN102-00</b>




EYA102  
EYB102




EYC102  
EYD102




EYE102  
EYF102




EYG102  
EYH102



EYI102  
EYJ102



EYK102  
EYL02



EYM102  
EYN102



## Washbasins, pedestals or semi-pedestals






**Odéon Up washbasin,**  
1 tap hole, comes in  
3 dimensions.

**NF E4754-00** Washbasin  
67 x 49 cm.

**NF E4736-00** Washbasin  
60 x 49 cm.

**NF E4737-00** Washbasin  
56 x 45 cm.





**Odéon Up compact  
washbasin,** 1 tap hole,  
comes in 2 dimensions

**NF E4700-00** Washbasin  
60 x 44 cm.


**E4755-00** Washbasin  
56 x 37 cm.

**18565W-00** Pedestal .  
**18566W-00** Semi-  
pedestal.



**NF E4710-00 Odéon Up  
Corner washbasin**  
50 x 50 cm.

**18565W-00** Pedestal.





# Washbasins, pedestals or semi-pedestals




BUILDING &amp; RENOVATION




**Struktura**, 1 tap hole, comes in 4 sizes and 2 versions

- NF** **EGC111-00** Washbasin 65 x 48 cm with unfinished underside for installation without furniture.  
Comes without overflow hole **EGC011-00**.
- NF** **EGD111-00** Washbasin 60 x 48 cm with unfinished underside for installation without furniture.  
Comes without overflow hole **EGD011-00**.
- NF** **EGE111-00** Washbasin 55 x 40 cm with unfinished underside for installation without furniture.  
Comes without overflow hole **EGE011-00**.
- NF** **EGF111-00** Washbasin 50 x 40 cm with unfinished underside for installation without furniture.  
Comes without overflow hole **EGF011-00**.


- E77076-CP** Towel rail for washbasin 65 cm.
- E77852-CP** Towel rail for washbasin 60 cm.
- E77077-CP** Towel rail for washbasin 55 cm.
- E77078-CP** Towel rail for washbasin 50 cm.
- 18565W-00** Pedestal.
- 18566W-00** Semi-pedestal for washbasin 65 cm, 60 cm.
- 19085D-00** Semi-pedestal for washbasin 55 cm, 50 cm.




EGC111



EGD111




EGE111




EGF111




- NF** **E1998-00** Patio washbasin 66 x 52.5 cm, 1 tap hole.  
No overflow hole.
- NF** **E4159-00** Patio washbasin 60 x 47 cm, 1 tap hole.  
No overflow hole.
- NF** **E4158-00** Patio washbasin 55 x 45 cm, 1 tap hole.  
No overflow hole.
- NF** **E4158-X5-00**
- 15537K-00** Tall unit.
- 19085D-00** Semi-pedestal.



E1998




E4159




E4158




- NF** **E1286-00** Washbasin 60 x 48 cm.  
No overflow hole.
- NF** **E1288-00**
- NF** **E1282F-00** Washbasin 54 x 46.5 cm.
- E1345F-00** Washbasin 50 x 43.5 cm.
- E4444-00** Tall unit.
- 19102K-00** Semi-pedestal.



E1286



E1282F





E1345F

# Undermount vanity basins, vessel basins and handwash basins


## Undermount vanity basins, vessel basins





- NF** **E1357-00 Odéon – Undermount vanity basin**  
52 x 45 cm with tap deck, 1 tap hole, 2 pre-drilled holes



- NF** **E4756-00 Odéon Up - Inset vanity basin**  
56 x 44 cm, 1 tap hole.






- BUILDING & RENOVATION**  
**NF** **E4155-00 Patio - Inset vanity basin** 56 x 43 cm,  
1 tap hole, 2 pre-drilled holes.  
**E4155-X5-00 Patio - Inset vanity basin**  
56 x 43 cm, 1 tap hole, no overflow hole.






## Handwash basins






- PRM**  
**Odéon Up - Compact space-saving handwash basin** 50 x 22.5 cm.  
**NF** **E4701-00** Pre-drilled side holes, no overflow cover supplied.  
**NF** **E4701L-00** 1 left tap hole.  
**NF** **E4701R-00** 1 right tap hole.






- PRM**  
**NF** **E4761-00 Odéon Up - Compact handwash basin** L 36 x D 26 cm, 1 tap hole.






- BUILDING & RENOVATION** **PRM**  
**NF** **EGH111-00 Struktura - Handwash basin**  
45 x 35 cm with unfinished underside for installation without furniture.  
1 tap hole with overflow hole.  
**EGH111-Z-00** Smooth underside for installation on furniture. 1 tap hole with overflow hole.  
**E77080-CP** Towel rail with handwash basin 45 cm






- PRM**  
**EGJ111-00 Struktura – Compact handwash basin** 50 x 25.5 cm, unfinished underside for installation without furniture. 1 tap hole with overflow.  
**EGJ111-Z-00** Smooth underside for installation on furniture. 1 tap hole with overflow.



- PRM**  
**NF** **E4152-00 Patio - Washbasin**  
45 x 35 cm, 1 tap hole.  
**19087D-00** Semi-pedestal.




- PRM**  
**E4338-00 Brive - Handwash basin**  
L45 x D35 cm, self-supporting.  
1 tap hole.



## Handwash basins and furniture




**E4733-00 Odéon Up - Corner**  
handwash basin 34 x 34 cm, 1 tap  
hole.



**Odéon Up - Handwash basin**  
40 x 25 cm.


**E4759G-00** 1 left tap hole.

**E4799G-00** 1 right tap hole.



**E4759G**

**E4799G**







**EB999D-YYY / EB999G-YYY Odéon Up - Base**  
unit for handwash basin RH/LH version  
L 45.2 x D 28 cm x 45 cm with 1 right hinged or  
left hinged door, 1 removable shelf.  
Note: Replace YYY with finish code.

**E4760-00 Odéon Up - Handwash basin**  
45 x D32 cm. 1 tap hole.

**EB1081-NF Mirror** L 50 x D3 x H 65 cm.

**EB1224-NF LED spotlight** 230V, 3.5W, Class II  
IP44.



**EB1397D-YYY/ EB1397G-YYY**  
**Struktura - Base unit under handwash**  
basin

Right- and left-hand version

L 45 x D35 x 58 cm.





1 soft-close door. Note: Replace YYY with  
finish code.



**EGH111-Z-00 Struktura - Handwash**  
basin 46 x 36 cm 1 tap hole.

**EB1081-NF Mirror** L 50 x H 65 cm.

**EB1224-NF LED spotlight** 230 V, 4W,  
Class II IP 44



**EB863-YYY Odéon Up - Base unit for**  
compact handwash basin





L 48.5 x D 21.5 x 59.1 cm.

1 reversible slow-close door. Inside shelf.  
Note: Replace YYY with finish code.



**E4701-00 Odéon Up - Compact**  
handwash basin 50 x 22 cm.

**EB1081-NF Mirror** L 50 x H 65 cm.



Odeon Up  
furniture finishes

Grey Oak - E71



Champagne Oak - E19



Québec Oak - E10



Grey Concrete - N26



Copper - N28



Gloss White - N18



Gloss Anthracite Grey - N14



Light Walnut - E16



Gloss White - N18



Gloss Anthracite Grey - N14



Struktura furniture  
finishes



## Rimless toilets

### EFFICIENT WASTE DRAINAGE

Powerful flush guarantees optimal bowl coverage

### EFFECTIVE RINSE

Efficient design directs water to the front of the bowl

### EASY UPKEEP AND MAXIMUM HYGIENE

No rim: every nook and cranny is accessible

## RIMLESS

All areas are visible and accessible for easy cleaning.

## PERFORMANCE

- 2 side flows for full bowl rinse
- Rear flow for full waste drainage
- No splashing




EDM112

**EDM112-00 Vox – WC Pack WC Rimless wall-hung toilet** 50 x 36 cm. Dual 3/6 L flush. Invisible fixings supplied. Thermoset extra-slim slow close removable seat, metal hinges.

**EDM102-00 Vox Smooth-sided rimless wall-hung toilet** 50 x 36 cm. Dual 3/6 L flush. Invisible fixings supplied.

**E20142-00** Thermoset extra-slim, slow-close, removable seat, metal hinges.



EDR112

### WATER CONSERVATION


**EDR112-00 Odéon Rive Gauche - WC pack, rimless wall toilet** 54 x 36.2 cm. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush. Thermoset seat, metal hinges

**EDR132-00 Odéon Rive Gauche - WC pack, rimless wall toilet** 54 x 36.2 cm. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush. Thermoset extra-slim, slow-close removable seat, metal hinges.

**EDR102-00 Odéon Rive Gauche – Rimless wall-hung toilet** 54 x 36.2 cm. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush.

**E24888-00** Thermoset seat, stainless steel hinges.

**E24889-00** Thermoset extra-slim slow-close, removable seat.



EDR132



## Wall-hung toilets



EDE112

**EDE112-00 Struktura - WC pack, rimless wall-hung toilet** 54 x 34 cm. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush. Thermoset seat, metal hinges.


**EDE122-00 Struktura - WC pack, rimless wall-hung toilet** 54 x 34 cm. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush. Thermoset slow-close removable seat, metal hinges.

**EDE101-00 Struktura - Rimless wall-hung toilet** 54 x 34 cm. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush.

**E4270-00** Thermoset seat, stainless steel hinges.

**E70024-00** Thermoset slow-close removable seat.


**E20606-00** Thermoset extra-slim slow-close removable seat, metal hinges.



**EDV101-00 Patio - Rimless wall-hung toilet.** 53.5 x 36 cm. Dual 3/6 L flush.

**E4303-00** Thermoset seat, metal hinges.

**E70021-00** Thermoset extra-slim, slow-close removable seat.




**BUILDING & RENOVATION** **WATER CONSERVATION**

**E4345-00 Brive - Wall-hung bowl** 52 x 36 cm. Dual 2.6/4 L or 3/6 L flush.

**E4359G-00** Polypropylene seat, adjustable metal hinges.

**E70014-00** Polypropylene slow-close seat, plastic hinges.




## Compact wall-hung toilets



**E4705-00 Odéon Up - Compact wall-hung toilet** 48.5 x 36.5 cm. Dual 3/6 L flush. 6 L.

**E70009-00** Thermoset seat, stainless steel quick-fix hinges.

**E70011-00** Thermoset removable slow-close seat, metal hinges.




EDF101 + E70025

**EDF101-00 Struktura - Compact rimless wall-hung toilet**

54 x 34 cm. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush

**E4272-00** Compact thermoset seat, stainless steel hinges.

**E70025-00** Compact thermoset extra-slim slow-close, removable seat, metal hinges.










**E1534-00 Patio - Compact wall-hung toilet**  
48 x 35.5 cm. Dual 3/6 L flush.



**E4304-00** Thermoset seat, metal hinges.



## Toilet support frames and flush plates



**E24155-NF Self-supporting toilet frame with 3/6 L cistern**



**E31669-NF Self-supporting toilet frame with 2.6/4L cistern**

### PRATIQUE

- Height: 1150 mm  
Can be installed in narrow spaces thanks to small width.  
Recessed depth: minimum 180 mm
- Factory-assembled stop valves in the rear, left- or right-hand connection possible
- Exclusively-designed Jacob Delafon flush plate
- Universal: Centre-to-centre distance for wall-hung toilets 180 mm and 230 mm

### STURDY

- Steel frame with high-performance anti-corrosion treatment can withstand up to 400 kg

### ADJUSTABLE

- Self-supporting feet: adjustable from 0 - 200 mm  
Simplified adjustment system: Braking system keeps support frame at the right height after adjustment, so frame can be installed by one person.

### FAST

Fixings are locked into place with a "quarter-turn" mechanism – no tools needed



### EASY MOUNTING AND MAINTENANCE

PVC outlet elbow pivots 180°. Fixings clip onto support frame.

Back plate with an opening for fast access to stop valve.

Wide service hatch for easy access to the flush mechanism.


Easy maintenance: a QR code printed on the inside of the cistern links to spare parts list.



**E24155**



E20858-00




E20858-CP




**E20858 Dual button flush plate**

White -00  
Chrome -CP




E20859-00-MWH




E20859-CP-MTC

**E20859 Dual button flush plate**

Matte White & Gloss White -00-MWH  
Matte White & Polished Chrome -CP-MWH  
Matte Chrome & Polished Chrome -CP-MTC  
Matte Black & Gloss Black 7-BMT



E20859-7-BMT



E20859-CP-MWH



## Rimless close-coupled toulets




**UJN102-00 Vox – Smooth-sided rimless toilet**  
65.5 x 36 cm. Comfort height 42 cm. Dual 3/6 L flush. Supplied with concealed floor fixings kit E3078-CP.

**ETM112-00** Complete factory-fitted cistern with quiet 3/6L dual flush, chrome pushbutton. Quiet float valve, side inlet. Supplied with fixings kit.

**E20142-00** Thermoset extra-slim removable slow-close seat, metal hinges.

**E6275-NF Horizontal pipe**, connection for P-trap 110 mm.

**E6276-NF Elbow**, connection for S-trap 100 mm.



**E0524-00 Odéon Up - WC pack, smooth-sided toilet, vario outlet**, 66 x 36.5 cm.

Comfort height 41 cm.

Complete factory-fitted cistern with water-saving 3/6L flush. 6L.

Quiet float valve, side inlet. Thermoset seat 8407K, stainless steel quick-fix hinges

**E0525-00 Odéon Up – WC pack, smooth-sided toilet, vario outlet**,

66 x 36.5 cm. Comfort height 41 cm. Complete factory-fitted cistern with water-saving 3/6L flush. 6L. Quiet float valve, bottom inlet, rapid assembly system. Removable, slow-close seat 8409K, stainless steel hinges.

Parts may be ordered separately:

**E4957CK-00 Odéon Up – Smooth-sided toilet, vario outlet**

66 x 36.5 cm.

**E4836-00** Side inlet 2,6/4 L

**E4695-00** Bottom inlet Cistern 2.6/4 L.

**E4745-00** Side inlet 3/6 L

**E4742-00** Bottom inlet Cistern 3/6 L.


**8407K-00** Thermoset seat, stainless steel hinges.

**8409K-00** Thermoset removable slow-close seat, stainless steel hinges.

**8322K-00** Thermoset removable slow-close seat, metal hinges.

**E6275-NF** Horizontal pipe, connection for P-trap 110 mm.

**E6276-NF** Elbow, connection for S-trap 100 mm.



**E0520-00 Odéon Up - WC pack, P-trap.**

67 x 36.5cm. Comfort height 41 cm. Complete-factory fitted cistern with water-saving 3/6 L flush. 6 L. Quiet float valve, side inlet, rapid assembly system. Thermoset seat, metal hinges 8407K. Quick floor-fixing kit supplied.

**E0521-00 Odéon Up - WC pack, P-trap.**

67 x 36.5 cm. Comfort height 41 cm. Complete factory-fitted cistern with water-saving 3/6 L flush. 6L. Quiet float valve, side inlet, rapid assembly system. Thermoset removable slow-close seat, metal hinges 8409K.

Quick floor fixing kit supplied.

Parts may be ordered separately:




**E4956CK-00 Odéon Up - P-trap toilet.**

67 x 36.5 cm. Comfort height 41 cm. Water-efficient dual 2.6/4 L or 3/6L flush.

**E4694-00** Cistern 2.6/4 L, side inlet.

**E4693-00** Cistern 2.6/4 L, bottom inlet

**E4708-00** Cistern 3/6 L, side inlet.



**E4740-00** Cistern 3/6 L, bottom inlet.

**8407K-00** Thermoset seat, stainless steel hinges.

**8409K-00** Thermoset removable slow-close seat, stainless steel hinges.

**8322K-00** Thermoset extra-slim anti-bacterial, removable slow-close seat, stainless steel hinges.



## Close-coupled toilets




**E76003-00 Struktura - WC pack with smooth-sided toilet, vario outlet.** 64.5 x 35.4 cm. Complete factory-fitted cistern with 3/6 L flush, quiet float valve, side inlet. Thermoset seat with metal hinges.


**E76008-00 Struktura - WC pack with rimless P-trap toilet.** 64.5 x 35.4 cm. Complete factory-fitted cistern with 3/6 L flush, quiet float valve, side inlet. Thermoset slow-close removable seat with metal hinges.

**E76009-00 Struktura - WC pack with rimless S-trap toilet** 67 x 35.4 cm. Complete factory-fitted cistern with 3/6 L flush, quiet float valve, side inlet. Thermoset seat with metal hinges.

**E76021-00 Struktura - WC pack with rimless S-trap toilet** 67 x 35.4 cm. Complete factory-fitted cistern with 3/6 L flush, quiet float valve, side inlet. Thermoset slow-close removable seat with metal hinges.



E76003 - E76008



E76009 - E76021



**E20208-00 Patio WC pack with rimless P-trap toilet,** 64.5 x 35.6 cm. Complete factory-fitted cistern with 3/6 L flush, quiet float valve, side inlet and thermoset seat with metal hinges.

**E22918-00 WC pack with rimless P-trap toilet,** 64.5 x 35.6 cm. Complete factory-fitted cistern with 3/6 L flush, quiet float valve, side inlet and thermoset slow-close removable seat with stainless steel hinges.

**E20209-00 WC pack with rimless P-trap toilet,** 67.5 x 35.6 cm. Complete factory-fitted cistern with 3/6 L flush, quiet float valve, side inlet and thermoset seat with metal hinges.

**E22919-00 WC pack with rimless P-trap toilet,** 67.5 x 35.6 cm. Complete factory-fitted cistern with 3/6 L flush, quiet float valve, side inlet and thermoset removable seat with stainless steel hinges.

**UJV101-00 Patio - Rimless close-coupled toilet, P-trap** 64.5 x 35.6 cl. Height 39 cm. Dual 3/6 L flush.


**UJW101-00 Patio - Rimless toilet, S-trap** 67.5 x 35.6 cm. Height 39 cm. Dual 3/6 L flush.

**ETB111-00 Patio -** Complete factory-fitted cistern fitted with quiet dual 3/6 L. flush. Quiet float valve, side inlet.


**ETB211-00 Patio -** Complete cistern with water-saving 3/6 L flush. Quiet float valve, bottom inlet.

**E2467-00** Thermoset seat, metal hinges.

**E70021** Thermoset removal slow-close seat.



E20208 - E22918



E20209 - E22919

## Close-coupled toilets




### E4043-00 Eolia – WC pack, P-trap.

67 x 36 cm, complete factory-fitted cistern with water-saving 3/6L flush, class 1 quiet float valve, side inlet, polypropylene seat.

Quick floor fixing kit not supplied.

Comes with bottom inlet:

**E24448-00**



E4380



### E4383-00 Brive – WC pack, P-trap.

66 x 36.5 cm. Complete factory-fitted cistern with water-saving 3/6L flush, class 1 quiet float valve, side inlet. Polypropylene toilet seat E4357G adjustable metal hinges. Quick floor fixing kit supplied.



### E4380-00 Brive – P-trap toilet

66 x 36.5 cm. Dual 3/6 L flush.



### E4381-00 Brive – P-trap toilet.

68 x 36.5 cm. Dual 3/6 L flush.



**E4452-00** Complete factory-fitted cistern with water-saving 3/6L flush, class 1 quiet float valve, side inlet.




**E4453-00** Complete factory-fitted cistern with water-saving 3/6L flush, quiet float valve, bottom inlet.




**E4357G-00** Polypropylene seat, adjustable metal hinges.




**E70014** Polypropylene, slow-close seat, plastic hinges.




**E4380 + E4452**



**E4380 + E4453**



**E4381 + E4452**



**E4381 + E4453**

## Compact and corner toilets



### E0374-00 Odéon Up - Compact WC pack, P-trap

60 x 36.5 cm. Comfort height 43 cm.


Complete reversible factory-fitted cistern, with dual 3/6L flush. 6L.

Chrome pushbutton. Quiet float valve.

Rapid assembly system.

Quick fixing kit.

Thermoset seat E70009, stainless steel quick-fix hinges.



### E0373-00 Odéon Up - Corner WC pack, P-trap

75 x 36.5 cm. Comfort height 43 cm.


Complete factory-fitted cistern with dual 3/6L flush with chrome pushbutton.

Quiet float valve,

side inlet. Rapid assembly system.

Quick floor fixing kit supplied.

Thermoset seat E7009, stainless steel quick-fix hinges.









## Surface shower trays in Neoquartz

Made of Neoquartz, this range of extra-slim shower trays combines style, elegance and toughness. Surface offers a streamlined, sophisticated showering experience with no installation constraints. 10-year guarantee. Recessed version suits people with reduced mobility (Anti-slip rating: PN24-class C).

### INNOVATIVE MATERIAL

- Composed of resin and 75% quartz powder
- Colour-processed shower tray
- Can be cut with a diamond angle grinder

### HIGH RESISTANCE






- Stiffness and stability thanks to more mineral filler
- High resistance to abrasion and scratches

### UPSCALE DESIGN

- Natural slate look
- Extra-slim 30 mm
- Discreet stainless steel waste cover
- Anti-slip rating: PN24-class C



Gypsum white - SS2



Mm	A	B
E62624	900 <sup>3/8</sup>	900 <sup>3/8</sup>
E62625	1000 <sup>3/8</sup>	800 <sup>3/8</sup>
E62626	1000 <sup>3/8</sup>	900 <sup>3/8</sup>
E62627	1200 <sup>3/8</sup>	800 <sup>3/8</sup>
E62628	1200 <sup>3/8</sup>	900 <sup>3/8</sup>

Mm	A	B
E62629	1400 <sup>3/8</sup>	800 <sup>3/8</sup>
E62630	1400 <sup>3/8</sup>	900 <sup>3/8</sup>
E62631	1600 <sup>3/8</sup>	800 <sup>3/8</sup>
E62632	1600 <sup>3/8</sup>	900 <sup>3/8</sup>
E62633	1700 <sup>3/8</sup>	800 <sup>3/8</sup>
E62634	1700 <sup>3/8</sup>	900 <sup>3/8</sup>
E62635	1800 <sup>3/8</sup>	800 <sup>3/8</sup>

	Dimensions (cm)	Gypsum White
Square	90 x 90 x 3	<b>E62624-SS2</b>
	100 x 80 x 3	<b>E62625-SS2</b>
	100 x 90 x 3	<b>E62626-SS2</b>
	120 x 80 x 3	<b>E62627-SS2</b>
	120 x 90 x 3	<b>E62628-SS2</b>
Rectangle	140 x 80 x 3	<b>E62629-SS2</b>
	140 x 90 x 3	<b>E62630-SS2</b>
	160 x 80 x 3	<b>E62631-SS2</b>
	160 x 90 x 3	<b>E62632-SS2</b>
	170 x 80 x 3	<b>E62633-SS2</b>
	170 x 90 x 3	<b>E62634-SS2</b>
	180 x 80 x 3	<b>E62635-SS2</b>

### Order cover and waste separately

### Code

Cover in brushed stainless steel for shower tray 90 to 120 cm

**E62620-VS**

Cover in brushed stainless steel for shower tray 140 to 180 cm


**E62621-VS**

Drain outlet 40 mm (compatible with all sizes). Flow rate: 30 L/min.



**E62622-NF**

Drain outlet 50 mm (compatible with all sizes). Flow rate: 30 L/min.


**E62623-NF**



**E62622**



**E62623**





FLIGHT SAFE



FLIGHT NEUS

## Flight shower trays with mineral filler

Made from a dual component resin capped with an acrylic layer, **4 cm high** Flight shower trays are extremely sturdy. This combination of materials offers an excellent compromise of strength, resistance and weight. The acrylic finish lowers risk of chipping and presents a glossy, smooth, easy maintenance surface. Flight is a range of large-size shower trays (up to 180 cm), ideal for replacing baths.



### TOUGHNESS

- Resistance tested up to 510 kg
- Lighter than ceramic, heavier than acrylic
- Highly impact resistant
- 10-year guarantee.

### EASE OF INSTALLATION

- Flexibility: recessed, floorstanding or raised
- Coordinating accessories: riser kit, extra-slim waste
- Virtually-perfect right angles for a flush installation with tiling
- Dimensionally-precise

### HYGIENE

- Silver ion antimicrobial treatment incorporated directly into the product
- Glossy, smooth, very easy-to-maintain surface



### Antimicrobial treatment

BioCote® silver-ion technology incorporated directly into the product

- Effectiveness: Reduces bacteria up to 99% in 2 hours
- Safety: It complements usual cleaning, acting as a second protection 24/7
- Durability: Maintains its antimicrobial properties during the tray's lifetime. Will not wear off, thin or fade away.

## Safety

### OPTIONAL: Class C anti-slip surface







Angle of inclination		French standard XP 05-010		German standard DIN 51097
6° to 12°	Mini AFISB		PN6	
12° to 18°	Average adherence		PN12	A
18° to 24°	High adherence		PN18	B
> 24°	Very high adherence		PN24	C

\*Performance certified per CSTB testing on inclined surface with slope angle over 30°

## Flight shower trays



	Dimensions (cm)	Riser kit	Code	Optional anti-slip surface	Optional anti-slip surface available in 4 colours:																																																																																																																																				
Square	76 x 76	n°1	E62440-00	E62440-F	  <table><tr><th>mm</th><th>E62440-00</th><th>E62441-00</th><th>E62442-00</th><th>E62462-00</th></tr><tr><th>A</th><td>760</td><td>800</td><td>900</td><td>1000</td></tr><tr><th>B</th><td>17</td><td>16</td><td>14</td><td>12</td></tr></table>	mm	E62440-00	E62441-00	E62442-00	E62462-00	A	760	800	900	1000	B	17	16	14	12																																																																																																																					
	mm	E62440-00	E62441-00	E62442-00		E62462-00																																																																																																																																			
	A	760	800	900		1000																																																																																																																																			
	B	17	16	14		12																																																																																																																																			
	80 x 80	n°1	E62441-00	E62441-F																																																																																																																																					
90 x 90	n°1	E62442-00	E62442-F																																																																																																																																						
100 x 100	n°0	E62462-00	E62462-F																																																																																																																																						
Rectangle	90 x 76	n°1	E62461-00	E62461-F	  <table><tr><th>Mm</th><th>A</th><th>B</th><th>C</th><th>D</th><th></th></tr><tr><td>E62461-00</td><td>900</td><td>760</td><td>25</td><td>14</td><td>9</td></tr><tr><td>E62484-00</td><td>1000</td><td>700</td><td>25</td><td>12</td><td>9</td></tr><tr><td>E62446-00</td><td>1000</td><td>760</td><td>25</td><td>12</td><td>9</td></tr><tr><td>E62447-00</td><td>1000</td><td>800</td><td>25</td><td>12</td><td>9</td></tr><tr><td>E62448-00</td><td>1100</td><td>800</td><td>25</td><td>12</td><td>11</td></tr><tr><td>E62485-00</td><td>1200</td><td>700</td><td>25</td><td>9</td><td>11</td></tr><tr><td>E62449-00</td><td>1200</td><td>760</td><td>25</td><td>9</td><td>11</td></tr><tr><td>E62450-00</td><td>1200</td><td>800</td><td>25</td><td>9</td><td>11</td></tr><tr><td>E62451-00</td><td>1200</td><td>900</td><td>25</td><td>9</td><td>11</td></tr><tr><td>E62486-00</td><td>1400</td><td>700</td><td>25</td><td>5</td><td>13</td></tr><tr><td>E62452-00</td><td>1400</td><td>760</td><td>25</td><td>5</td><td>13</td></tr><tr><td>E62453-00</td><td>1400</td><td>800</td><td>25</td><td>5</td><td>13</td></tr><tr><td>E62481-00</td><td>1400</td><td>900</td><td>25</td><td>4</td><td>13</td></tr><tr><td>E62487-00</td><td>1500</td><td>700</td><td>24</td><td>3</td><td>13</td></tr><tr><td>E62454-00</td><td>1500</td><td>760</td><td>24</td><td>3</td><td>13</td></tr><tr><td>E62455-00</td><td>1600</td><td>700</td><td>24</td><td>4</td><td>13</td></tr><tr><td>E62456-00</td><td>1600</td><td>760</td><td>24</td><td>4</td><td>13</td></tr><tr><td>E62482-00</td><td>1600</td><td>900</td><td>24</td><td>4</td><td>13</td></tr><tr><td>E62457-00</td><td>1700</td><td>700</td><td>24</td><td>4</td><td>13</td></tr><tr><td>E62458-00</td><td>1700</td><td>760</td><td>24</td><td>4</td><td>13</td></tr><tr><td>E62483-00</td><td>1700</td><td>900</td><td>24</td><td>4</td><td>13</td></tr></table>	Mm	A	B	C	D		E62461-00	900	760	25	14	9	E62484-00	1000	700	25	12	9	E62446-00	1000	760	25	12	9	E62447-00	1000	800	25	12	9	E62448-00	1100	800	25	12	11	E62485-00	1200	700	25	9	11	E62449-00	1200	760	25	9	11	E62450-00	1200	800	25	9	11	E62451-00	1200	900	25	9	11	E62486-00	1400	700	25	5	13	E62452-00	1400	760	25	5	13	E62453-00	1400	800	25	5	13	E62481-00	1400	900	25	4	13	E62487-00	1500	700	24	3	13	E62454-00	1500	760	24	3	13	E62455-00	1600	700	24	4	13	E62456-00	1600	760	24	4	13	E62482-00	1600	900	24	4	13	E62457-00	1700	700	24	4	13	E62458-00	1700	760	24	4	13	E62483-00	1700	900	24	4	13
	Mm	A	B	C		D																																																																																																																																			
	E62461-00	900	760	25		14	9																																																																																																																																		
	E62484-00	1000	700	25		12	9																																																																																																																																		
	E62446-00	1000	760	25		12	9																																																																																																																																		
	E62447-00	1000	800	25		12	9																																																																																																																																		
	E62448-00	1100	800	25		12	11																																																																																																																																		
	E62485-00	1200	700	25		9	11																																																																																																																																		
	E62449-00	1200	760	25		9	11																																																																																																																																		
	E62450-00	1200	800	25		9	11																																																																																																																																		
	E62451-00	1200	900	25		9	11																																																																																																																																		
	E62486-00	1400	700	25		5	13																																																																																																																																		
	E62452-00	1400	760	25		5	13																																																																																																																																		
	E62453-00	1400	800	25		5	13																																																																																																																																		
	E62481-00	1400	900	25		4	13																																																																																																																																		
	E62487-00	1500	700	24		3	13																																																																																																																																		
	E62454-00	1500	760	24		3	13																																																																																																																																		
	E62455-00	1600	700	24		4	13																																																																																																																																		
	E62456-00	1600	760	24		4	13																																																																																																																																		
	E62482-00	1600	900	24		4	13																																																																																																																																		
	E62457-00	1700	700	24		4	13																																																																																																																																		
	E62458-00	1700	760	24		4	13																																																																																																																																		
	E62483-00	1700	900	24		4	13																																																																																																																																		
	100 x 70	n°3	E62484-00	E62484-F																																																																																																																																					
	100 x 76	n°3	E62446-00	E62446-F																																																																																																																																					
	100 x 80	n°3	E62447-00	E62447-F																																																																																																																																					
	110 x 80	n°4	E62448-00	E62448-F																																																																																																																																					
	120 x 70	n°4	E62485-00	E62485-F																																																																																																																																					
120 x 76	n°4	E62449-00	E62449-F																																																																																																																																						
120 x 80	n°4	E62450-00	E62450-F																																																																																																																																						
120 x 90	n°4	E62451-00	E62451-F																																																																																																																																						
140 x 70	n°5	E62486-00	E62486-F																																																																																																																																						
140 x 76	n°5	E62452-00	E62452-F																																																																																																																																						
140 x 80	n°5	E62453-00	E62453-F																																																																																																																																						
140 x 90	n°5	E62481-00	E62481-F																																																																																																																																						
150 x 70	n°5	E62487-00	E62487-F																																																																																																																																						
150 x 76	n°5	E62454-00	E62454-F																																																																																																																																						
160 x 70	n°5	E62455-00	E62455-F																																																																																																																																						
160 x 76	n°5	E62456-00	E62456-F																																																																																																																																						
160 x 90	n°5	E62482-00	E62482-F																																																																																																																																						
170 x 70	n°5	E62457-00	E62457-F																																																																																																																																						
170 x 76	n°5	E62458-00	E62458-F																																																																																																																																						
170 x 90	n°5	E62483-00	E62483-F																																																																																																																																						
Quadrant	80 x 80	n°6	E62443-00	E62443-F	  <table><tr><th>mm</th><th>E62443-00</th><th>E62444-00</th><th>E62480-00</th></tr><tr><td>A</td><td>800</td><td>900</td><td>1000</td></tr><tr><td>B</td><td>800</td><td>900</td><td>1000</td></tr><tr><td>C</td><td>250</td><td>350</td><td>450</td></tr><tr><td>D</td><td>16</td><td>14</td><td>12</td></tr></table>	mm	E62443-00	E62444-00	E62480-00	A	800	900	1000	B	800	900	1000	C	250	350	450	D	16	14	12																																																																																																																
	mm	E62443-00	E62444-00	E62480-00																																																																																																																																					
	A	800	900	1000																																																																																																																																					
	B	800	900	1000																																																																																																																																					
	C	250	350	450																																																																																																																																					
	D	16	14	12																																																																																																																																					
	90 x 90	n°6	E62444-00	E62444-F																																																																																																																																					
100 x 100	n°7	E62480-00	E62480-F																																																																																																																																						
Droite 100 x 80	n°7	E62463-00	E62463-F																																																																																																																																						
Gauche 100 x 80	n°7	E62464-00	E62464-F																																																																																																																																						
Droite 120 x 80	n°7	E62465-00	E62465-F																																																																																																																																						
Gauche 120 x 80	n°7	E62466-00	E62466-F																																																																																																																																						
Pentagon	90 x 90	n°8	E62445-00	E62445-F	  <table><tr><th>mm</th><th>E62445</th></tr><tr><td>A</td><td>900</td></tr><tr><td>B</td><td>14</td></tr><tr><td></td><td>9</td></tr></table>	mm	E62445	A	900	B	14		9																																																																																																																												
	mm	E62445																																																																																																																																							
A	900																																																																																																																																								
B	14																																																																																																																																								
	9																																																																																																																																								

### Riser kit available in 3 versions

- Adjustable feet only (height 12-14 cm)
- Basic panel supplied in 2 trimmable sections that fit and clip under the shower tray (height 10 cm)
- With Luxe rigid panel in one piece that is trimmable at the ends (height 10 cm)

Riser kit	Without panel	With BASIC panel	With LUXE panel
n°0	<b>E62470-00</b>	-	-
n°1	<b>E62470-00</b>	<b>E62504-00</b>	<b>E62490-00</b>
n°3	<b>E62471-00</b>	<b>E62505-00</b>	<b>E62490-00</b>
n°4	<b>E62471-00</b>	<b>E62505-00</b>	<b>E62491-00</b>
n°5	<b>E62472-00</b>	<b>E62506-00</b>	<b>E62492-00</b>
n°6	-	-	<b>E62502-00</b>
n°7	-	-	<b>E62503-00</b>
n°8	-	<b>E62507-00</b>	-

### Accessories



#### E62500-00 Sealing strip

Adhesive strip providing additional seal between the shower tray and the wall.  
L 3.6 m x H 46 mm.



- E78161-CP Fast-flow waste** specially designed for extra-slim shower trays. Flow rate 54 L/min.  
Water line 50 mm.



#### Extra-slim waste

Slim shower waste Ø 90 mm, 58 mm required space means reduced recess depth.  
Flow rate 36 L/min.

- E78168-CP Chrome cover**  
**E78168-00 White cover**

## Flight Neus shower trays

Combining all the benefits of the Flight material, the new range of shower trays offers a discreet wetroom effect with no installation constraints.

### Flight Neus - all the benefits of Flight and more:

#### DESIGN

- Total accessibility
- Rectangular channel at the end of the tray, discreetly topped with an extra-slim cover
- Personalisable cover: 4 colours available

#### EASE OF INSTALLATION

- Aluminium frame that is adjustable heightwise and lengthwise
- Built-in spirit levels and clip-on feet, adjustable on top
- Extra-slim waste included



	Dimensions (cm)	Code	Optional anti-slip surface	Technical drawings
Square	80 x 80 x 4	E66510-00	E66510-F-00	
	90 x 90 x 4	E66511-00	E66511-F-00	
	100 x 70 x 4	E66517-00	E66517-F-00	
Rectangle	100 x 80 x 4	E66512-00	E66512-F-00	
	100 x 90 x 4	E66550-00	E66550-F-00	
	120 x 70 x 4	E66518-00	E66518-F-00	
	120 x 80 x 4	E66513-00	E66513-F-00	
	120 x 100 x 4	E66514-00	E66514-F-00	
	120 x 90 x 4	E66551-00	E66551-F-00	
	140 x 70 x 4	E66552-00	E66552-F-00	
	140 x 80 x 4	E66515-00	E66515-F-00	
	140 x 90 x 4	E66516-00	E66516-F-00	
	140 x 100 x 4	E66553-00	E66553-F-00	
	150 x 80 x 4	E66519-00	E66519-F-00	
	160 x 80 x 4	E66520-00	E66520-F-00	
	160 x 90 x 4	E66521-00	E66521-F-00	
	170 x 80 x 4	E66522-00	E66522-F-00	
	180 x 80 x 4	E66523-00	E66523-F-00	

Mm	A	B	C (top side)	D (underside)	E (top side)	F (underside)	Y
E62510-00	800	800	678	688	143	159	18
E62511-00	1900	900	778	790	143	159	16
E62512-00	1000	800	678	688	143	159	18
E62513-00	1200	800	678	688	143	159	18
E62514-00	1200	900	778	790	143	159	16
E62515-00	1400	800	678	688	143	159	18
E62516-00	1400	900	778	790	143	159	16
E62517-00	1000	700	578	591	143	159	11
E62518-00	1400	800	578	591	143	159	11
E62519-00	1500	800	678	688	143	159	18
E62520-00	1600	800	678	688	143	159	18
E62521-00	1600	900	778	790	143	159	16
E62522-00	1700	800	678	688	143	159	18
E62523-00	1800	800	678	688	143	159	18

Shower tray width (mm)	X	Y	Z
700	40	11	51
800	40	18	58
900	40	16	56

Shower tray width	Cover colour				
	White -00	Matte White F-00*	Matte Satin Silver -S21*	Matte Anthracite Grey -M53*	Matte Taupe -M65*
70 cm	E62C70-00	E62C70-F-00	E62C70-S21	E62C70-M53	E62C70-M65
80 cm	E62C80-00	E62C80-F-00	E62C80-S21	E62C80-M53	E62C80-M65
90 cm	E62C90-00	E62C90-F-00	E62C90-S21	E62C90-M53	E62C90-M65

\*Anti-slip



### Riser kit



#### Riser kit including:

Aluminium structure (frame + adjustable feet) with built-in spirit levels + acrylic panel (White-00) supplied with 2 trimmable sections to clip under the shower tray. Width 80 cm

**E62524-GA** Riser kit for shower trays maximum size 120 cm

**E62525-GA** Riser kit for shower trays starting at 140 cm










## Replay ceramic shower trays

### CLASS B ANTI-SLIP GLAZE






- High safety of use
- Satin look, smooth surface
- Easy care: Good cleanability with water and household products
- Uniquely durable and resistant vitrified glaze

### FLUSH-FIT SQUARE WASTE COVER IN ABS

- Naturally slip-resistant
- Excellent stability and safety of use
- Exceptionally impact-resistant
- Very high flow rate 36 L / mn
- Anti-seepage, central position promotes flow convergence away from the wall
- Easy care: Removable hair trap. Waste allowing access to pipework

Ceramic shower trays	Dimensions (cm)	Anti-slip white	White 	
Square	90 x 90	<b>N140K-220</b>	<b>N140K-00</b>	
	100 x 100	<b>N141K-220</b>	<b>N141K-00</b>	
Rectangle	100 x 80	<b>N143K-220</b>	<b>N143K-00</b>	
	120 x 80	<b>N144K-220</b>	<b>N144K-00</b>	
	120 x 90	<b>N147K-220</b>	<b>N147K-00</b>	



Waste	Chrome	Velvet Chrome	White
Complete fast-flow waste, horizontal outlet, flush-fit square cover in ABS	<b>E78260-CP</b>		<b>E78260-00</b>
Complete waste, vertical outlet, removable square metal cover	<b>E78267-CP</b>	<b>E78267-38R</b>	
Complete extra-slim waste, horizontal outlet, removable square metal cover	<b>E78268-CP</b>	<b>E78268-38R</b>	
 <b>N147K</b>	 <b>N144K</b>		
 <b>N141K</b>	 <b>N143K</b>	 <b>N140K</b>	

Standards	XP 05-010	DIN 51097
Angle of inclination	Group	Class

6° to 12°

Mini AFISB



PN6

12° to 18°

> 12°  
Average adherence

PN12

A

18° to 24°

> 18°  
High adherence

PN18

B

&gt; 24°

> 24°  
Very high adherence


PN24

C



**E78260-CP - Chrome**  
**E78260-00 - White**

Replay and Odéon Up must be fitted with waste E78260-CP

 Model and/or colour available while stocks last.



## Kyreo extra-slim ceramic shower trays


**BUILDING & RENOVATION**

### ABOVE THE FLOOR OR INSET

- Extra-slim shower tray: 4 cm thick
- Glazed on 3 sides
- Glazed enamel

### PRM INSTALLATION

- Requires a recessed installation (at least 20 mm)
- Inside projection under 20 mm
- For dimensions:
  - 90 x 90 cm
  - 100 x 80 cm
  - 120 x 80 cm

### EASE OF INSTALLATION

- Ledge makes shower tray suitable for all shower stalls




### Square


Extra-slim above-the-floor or inset square shower tray. Comes in 2 dimensions, rear waste 90 mm, glazed on 3 sides. Smooth surface.

**ENB90-00** Shower tray 80 x 80 x 4 cm

**ENC90-00** Shower tray 90 x 90 x 4 cm



**ENB90-00**



**ENC90-00**




### Rectangular

Extra-slim above-the-floor or inset rectangular shower tray. Comes in 3 dimensions, rear waste 90 mm, glazed on 3 sides. Smooth surface.


**ENE90-00** Shower tray 90 x 70 x 4 cm

**ENF90-00** Shower tray 100 x 80 x 4 cm


**ENG90-00** Shower tray 120 x 80 x 4 cm



**ENE90-00**



**ENF90-00**



**ENG90-00**



## Brive shower trays

This new extra-slim, NF-rated shower tray is innovative in two ways: the sandwich design of fibreglass, resins and a layer of PET offers lightness and high weight resistance. The use of recycled PET represents 50% of the total volume and makes it an environmentally-responsible product. The NF-rated tray meets French standards for mechanical and impact resistance, thermal shocks and stains.



### STRENGTH

- Load-bearing resistance measured at 732 kg with no breakage in a raised installation
- Made of Aerobloc, sandwich of composite materials offering lightness and rigidity
- NF-rated: resists impacts, thermal shocks and stains

### EASE OF INSTALLATION

- 3 options: directly on the floor, inset or raised
- Flat, smooth bottom, no need for a recess around waste
- Can be cut with a diamond angle grinder
- Can be repaired onsite
- Reduced weight, only 14 kg/m<sup>2</sup>

### QUALITY AND INNOVATION



- Made of over 50% recycled materials (PET)
- NF-rated acrylic and PN6 anti-slip suitable for PRM users
- Made in France in our Troyes plant
- 10-year guarantee



Square



Rectangular



Mm	E62101	E62102	E62103	E62104	E62105	E62106	E62107
A	800 <sup>±5</sup>	900 <sup>±5</sup>	1000 <sup>±5</sup>	1200 <sup>±5</sup>	1200 <sup>±5</sup>	1400 <sup>±5</sup>	1400 <sup>±5</sup>
B	800 <sup>±5</sup>	900 <sup>±5</sup>	800 <sup>±5</sup>	800 <sup>±5</sup>	900 <sup>±5</sup>	800 <sup>±5</sup>	900 <sup>±5</sup>
E	30	30	35	35	35	40	40

	Dimensions (cm)	White
Square	80 x 80 x 3	<b>E62101-00</b>
	90 x 90 x 3	<b>E62102-00</b>
Rectangular	100 x 80 x 3,5	<b>E62103-00</b>
	120 x 80 x 3,5	<b>E62104-00</b>
	120 x 90 x 3,5	<b>E62105-00</b>
	140 x 80 x 4	<b>E62106-00</b>
	140 x 90 x 4	<b>E62107-00</b>



### Extra-slim waste

Slim shower waste Ø 90 mm, 58 mm required space means reduced recess depth. Flow rate 36 L/min.

**78168-CP Chrome cover**  
**E78168-00 White cover**





## Panolux wall panels

### TIME SAVER

- No tiling grout
- Bathroom available for use quickly after installation

### EASE OF INSTALLATION

- No tiling expertise or tools required; ideal for renovations
- Lightweight panels can be cut in width and length
- Adheres to all surfaces with no preparation work
- Installation kit for a perfect finish with no visible silicone

### HYGIENE AND CARE

- Easy upkeep: no tile grout, no mould growth
- Total seal



Incomparable Black



Chrome

### Wall panels width 120 cm

Finishes (front/back)	Height 235.5 cm	Height 255 cm
Honey Oak / Dark Oak	E63000-D26	E63030-D26
Marble Stone / Ruby Granite	E63000-D27	E63030-D27
Cloud Grey Concrete / Iron Grey Concrete	E63000-D29	E63030-D29
Graphite Grey / Light Cement	E63000-D40	E63030-D40
Gloss White / Slate Grey	E63000-HU	E63030-HU
Matte Taupe / Steel Grey	E63000-D28	E63030-D28
Brown Marble / White Marble	E63000-D41	E63030-D41
Ardoise / Beech	E63000-D42	E63030-D42
Polished Iron / Rust	E63000-D43	E63030-D43
Mineral White / Mineral White	E63000-D44	E63030-D44

NEW


### Accessories available in 2 finishes:

Description	Code	Finish
Complete assembly kit includes profiles for 2-panel corner installation.	E63031-GA	Chrome
	E63031-BLV	Incomparable Black
In-line assembly profile	E63032-GA	Chrome
	E63032-BLV	Incomparable Black
Inner corner profile	E63034-GA	Chrome
	E63034-BLV	Incomparable Black
Outer corner profile	E63005-GA	Chrome
	E63005-BLV	Incomparable Black
End finishing profile	E63006-GA	Chrome
	E63006-BLV	Incomparable Black

Structured decorative surfaces

Matte solid colours

Gloss solid colours





## Écrin built-in shower solution: Shower you can install without tearing down walls or removing tiling

**Écrin is a Jacob Delafon innovation:** easy-to-install shower frame, for a showering space optimised with thermostatic fittings and built-in storage (optional mood lighting). Ideal for renovations and bath replacements.

### STREAMLINED DESIGN

- 6 finish choices
- Mood lighting (LED)
- Aluminium profiles
- Choose round or square built-in shower fittings

### EASY CARE

- Panolux surface: smooth, easy to care for
- Built-in fittings: less surface to clean
- No tile grout to maintain

### SMART STORAGE

- 2 storage spaces: one open, one closed with pivot door
- Can store up to a dozen bottles per section
- Products in easy reach

### EXTREMELY STURDY

- Panolux panelling: waterproof, resistant composite material
- Guaranteed seal (factory-assembled)
- Modulo built-in box with anti-leak system
- Nylon hoses pre-attached to box
- Maintenance possible



### READY TO INSTALL

- Comes factory-assembled
- Only 2 plumbing connections needed
- Easy to mount, without damaging the wall
- 2 configuration options: alcove and corner

		Corner installation		
Shower fittings	LED	Cf. Panolux - D26 Honey Oak / Dark Oak	Cf. Panolux - D29 Cloud Grey Concrete / Iron Grey Concrete	Cf. Panolux - D27 Marble / Ruby Granite
Square	no	E80300-D33 / E80300-D34	E80300-D35 / E80300-D36	E80300-D37 / E80300-D39
Round	no	E80301-D33 / E80301-D34	E80301-D35 / E80301-D36	E80301-D37 / E80301-D39
Square	yes	E803001-D33 / E803001-D34	E803001-D35 / E803001-D36	E803001-D37 / E803001-D39
Round	yes	E803011-D33 / E803011-D34	E803011-D35 / E803011-D36	E803011-D37 / E803011-D39

		Alcove installation		
Shower fittings	LED	Cf. Panolux - D26 Honey Oak / Dark Oak	Cf. Panolux - D29 Cloud Grey Concrete / Iron Grey Concrete	Cf. Panolux - D27 Marble / Ruby Granite
Square	no	E80302-D33 / E80302-D34	E80302-D35 / E80302-D36	E80302-D37 / E80302-D39
Round	no	E80303-D33 / E80303-D34	E80303-D35 / E80303-D36	E80303-D37 / E80303-D39
Square	yes	E803021-D33 / E803021-D34	E803021-D35 / E803021-D36	E803021-D37 / E803021-D39
Round	yes	E803031-D33 / E803031-D34	E803031-D35 / E803031-D36	E803031-D37 / E803031-D39



Iron Grey - D29




Cloud Grey - D29



Ruby Granite - D27




Beige Marble - D27



Honey Oak - D26



Dark Oak - D26



Customisable Écrin  
Ecrin with Panolux side panels (see Price catalogue)




## Écrin built-in shower solution: Shower you can install without tearing down walls or removing tiling

### Corner installation

Shower fittings	Cf. Panolux - D26 Honey Oak / Dark Oak	Cf. Panolux - D29 Cloud Grey Concrete / Iron Grey Concrete	Cf. Panolux - D27 Marble / Ruby Granite
Square	E81300-D33 / E81300-D34	E81300-D35 / E81300-D36	E81300-D37 / E81300-D39
Round	E81301-D33 / E81301-D34	E81301-D35 / E81301-D36	E81301-D37 / E81301-D39

### Alcove installation

Shower fittings	Cf. Panolux - D26 Honey Oak / Dark Oak	Cf. Panolux - D29 Cloud Grey Concrete / Iron Grey Concrete	Cf. Panolux - D27 Marble / Ruby Granite
Square	E81302-D33 / E81302-D34	E81302-D35 / E81302-D36	E81302-D37 / E81302-D39
Round	E81303-D33 / E81303-D34	E81303-D35 / E81303-D36	E81303-D37 / E81303-D39



Iron Grey - D29




Cloud Grey - D29



Ruby Granite - D27




Beige Marble - D27



Honey Oak - D26



Dark Oak - D26



Customisable Écrin





**1** Cut to desired dimensions

**2** Drill openings for pipework

**3** Screw in corner joint





## Flight wall panels

### AN ALTERNATIVE TO TILING

Made from a dual component resin capped with an acrylic layer, Flight wall panels are extremely sturdy and offer an alternative to traditional tiling installations.

#### FAST INSTALLATION

- Adheres to old tiling or new surfaces
- No tiling skills or special tools required
- No tile grout needed

#### MODULABLE

- Height 200 cm
- 4 widths: 75, 80, 90, 120 cm
- Trimmable panels
- Can be installed vertically or horizontally


#### ESTHETIC

- Realistic tile imitation
- Gloss White tiles
- 20 x 25 cm
- A piece-of-mind decorating option
- Perfect finishing with rounded edging


#### HYGIENE AND UPKEEP

- Biocote treatment eliminates up to 99.9% of bacteria
- Thanks to the quality of the exclusive Flight® material in synthetic concrete
- Lightweight and sturdy
- 10-year guarantee


#### SHOWER



#### BATH



#### BACKSPLASH



#### Flight wall panels

Come in 4 sizes:

**E62601-00** For a 75 cm shower tray - 201 x 73.5 x 0.8 cm.

**E62602-00** For a 80 cm shower tray - 201 x 77.5 x 0.8 cm.

**E62608-00** For a 90 cm shower tray - 201 x 87.5 x 0.8 cm.

**E62603-00** For a 120 cm shower tray - 201 x 117.5 x 0.8 cm.

Order based on the type of installation:

**E62606-00** Additional corner joint for panel.

**E62607-00** PVC panel to connect 2 panels

### 4 Apply adhesive to back of panel



### 5 Position panels



### 6 Lay in silicone





## Contra shower enclosures

Models available: Fixed panels with or without return (pivot or fixed), pivot door, pivot corner entry, two-swing door, sliding door and fixed side panel.

### STRENGTH

- 8 mm safety glass (except pivot door)

### RESTRAINED, ELEGANT DESIGN

- Chrome profiles with upper caps
- Chrome bracing bars
- 2 glass finishes: clear and with frosted section for privacy

### EASY CARE


- Coated glass
- Built-in hardware
- Height 200 cm (except sliding door 195 cm) to limit spray

### EASY INSTALLATION

- Reversible doors for right and left installation

### Fixed panel

Reversible fixed panel for open showering space. Chrome profile. 8 mm clear glass. Height 200 cm. Bracing bar options to order separately.



Diagonal bar (1)



Vertical bar (2)



Horizontal bar (3)

Bracing bar must be ordered with the fixed panel:

**E22BT45-GA** 45° diagonal bar (1)

**E22BWC-GA** Vertical ceiling-mounted bar, maximum length 62 cm

**E22BW90-GA** 90° horizontal bar, maximum length 100 cm



Clear glass




Glass with frosted privacy section

Tray width (cm)	Min/max width (A)	Clear glass code	Frosted section code
70	66 - 68	<b>E22FT70-GA*</b>	-
80	76 - 78	<b>E22FT80-GA*</b>	-
90	87 - 89	<b>E22W90-GA</b>	<b>E22WD90-GA</b>
100	97 - 99	<b>E22W100-GA</b>	<b>E22WD100-GA</b>
110	107 - 109	<b>E22W110-GA</b>	-
120	117 - 119	<b>E22W120-GA</b>	<b>E22WD120-GA</b>
130	127 - 129	<b>E22W130-GA</b>	-
140	137 - 139	<b>E22W140-GA</b>	<b>E22WD140-GA</b>

\*6 mm glass

Fixed panel in Incomparable Black and grey tinted glass. Supplied with horizontal bracing bar and towel hook.



Tray width (cm)	Min/max width (A)	Code
90	87 - 89	<b>E22W90-BLV</b>
100	97 - 99	<b>E22W100-BLV</b>
120	117 - 119	<b>E22W120-BLV</b>
140	137 - 139	<b>E22W140-BLV</b>




## Contra shower enclosures



### Fixed panel with pivot return

Reversible fixed panel in 8 mm glass for an open showering space with 6 mm pivot return to reduce spray. Chrome profile. Clear or mirrored glass return. Height 200 cm. Bracing bar options must be ordered separately.




	C22WP90-GA C22WP90L-MZ C22WP90R-MZ	C22WP100-GA C22WP100L-MZ C22WP100R-MZ	C22WP120-GA C22WP120L-MZ C22WP120R-MZ	C22WP140-GA C22WP140L-MZ C22WP140R-MZ
Mm	1300	1400	1600	1800
A min/max	915-935	1015-1035	1215-1235	1415-1435
B	355	355	355	355
C min/max	1270-1290	1370-1390	1570-1590	1770-1790

Min/max total width (cm) (D)	Fixed panel width	Pivot return width (cm) (D)	Code with clear glass return	Code with LH mirrored glass return	Code with RH mirrored glass return
127 - 129	93	35	<b>C22WP90-GA</b>	<b>C22WP90L-MZ</b>	<b>C22WP90R-MZ</b>
137 - 139	103	35	<b>C22WP100-GA</b>	<b>C22WP100L-MZ</b>	<b>C22WP100R-MZ</b>
157 - 159	123	35	<b>C22WP120-GA</b>	<b>C22WP120L-MZ</b>	<b>C22WP120R-MZ</b>
177 - 179	143	35	<b>C22WP140-GA</b>	<b>C22WP140L-MZ</b>	<b>C22WP140R-MZ</b>



### Sliding door

Single-section sliding door, right or left opening. 8 mm clear coated glass. Chrome aluminium profile with upper caps and concealed hardware. Height 195 cm. Quiet, fluid magnetic close.



	Tray width (cm)	Min/max door width only	Min/max width for door with fixed panel	Opening (cm)	Installation	Code
<b>Sliding door</b>	120	117.5 - 120.5	116.5 - 118.5	44	Réversible	<b>E22C120-GA</b>
	140	137.5 - 140.5	136.5 - 138.5	54	Réversible	<b>E22C140-GA</b>
	160	157.5 - 160.5	156.5 - 158.5	64	Réversible	<b>E22C160-GA</b>
	170	167.5 - 170.5	166.5 - 168.5	64	Réversible	<b>E22C170-GA</b>
<b>Fixed panel</b>	80		76 - 78			<b>E22FC80-GA</b>
	90		86 - 88			<b>E22FC90-GA</b>

#### Optional:

Chrome extension profile for Contra sliding door  
**E22002-GA** : + 20 mm in width




## Contra shower enclosures



### Pivot door

Reversible pivot door Chrome handles and profiles, magnetic close.  
6 mm clear glass. Height 200 cm. Integral lift mechanism.  
Order bracing bar separately for installation with fixed side.  
180° door opening (no stop).

#### Pivot door with and without fixed side (80 to 120 cm)



Door width (cm) (A)	Width on fixed side (cm)		Min/max width (cm)		Opening (cm) (C)	Code	
	(B)	(D)	Door only	Door with fixed panel		For alcove installation	For installation with fixed side panel
80	-	-	76.4-80	76.4-78.2	65	<b>E22T80-GA</b>	<b>E22T81-GA</b>
90	-	-	86.4-90	86.4-88.2	75	<b>E22T90-GA</b>	<b>E22T91-GA</b>
100	24.6	-	96.4-100	96.4-98.2	65	<b>E22T100-GA</b>	<b>E22T101-GA</b>
120	44.6	-	116.4-120	116.4-118.2	65	<b>E22T120-GA</b>	<b>E22T121-GA</b>

Bracing bar must be ordered in addition to fixed side panel:


**E22BT45-GA** 45° horizontal bar (recommended for alcove installations)

**E22BW90-GA** 90° horizontal bar (only for enclosures 80 and 90 cm wide, recommended for installations with fixed side panels)



### Fixed side enclosure to install with pivot door

Fixed enclosure for corner installation with a pivot door. Chrome profiles.  
6 mm clear glass. Height 200 cm. Fixed panel pivot door



Tray width (cm)	Min/max width (mm) Door with fixed side (A)	Code
70	660-680	<b>E22FT70-GA</b>
80	760-780	<b>E22FT80-GA</b>
90	860-880	<b>E22FT90-GA</b>
100	960-980	<b>E22FT100-GA</b>

#### Optional:

Chrome extension profile for Contra sliding door

**E22002-GA** : + 20 mm in width

Contra shower enclosures




Pivot corner entry

2 frameless pivot doors for full opening Chrome profiles and handles  
6 mm clear glass. Height 200 cm. 18 mm wall adjustment.  
2 doors of different sizes may be ordered.  
Supplied with 2 door sills.  
Corner joint must be ordered to form corner and provide complete seal.


Tray width (cm)	Min/max width (cm) (A)	Code	Corner joint
80	76.4-78	E22T81-GA	E22T11-GA
90	86.4-88	E22T91-GA	
100	96.4-98	E22T101-GA	
120	116.4-118	E22T121-GA	

Opening (cm) (C)	80	90	100	120
80	650	698	650	650
90	698	750	698	698
100	650	698	650	650
120	650	698	650	650


2 doors of same size  
80 or 90 cm



2 doors of same size  
100 or 120 cm



2 doors of different sizes





## Contra shower enclosures



Fixed panel – Clear glass



Fixed panel – Glass with privacy section



Fixed panel - Incomparable Black



Fixed panel with pivot return in glass



Fixed panel with pivot return in mirrored glass



Sliding door



Corner entry pivot door



Pivot door



Fixed side panel to coordinate with pivot door





## Serenity shower enclosures


**BUILDING & RENOVATION**

Models available: Pivot door, sliding door, quadrant, sliding corner entry, bi-fold door, fixed side enclosure and fixed in-line enclosure.

### FINISHINGS

- Chrome aluminium profiles
- Inside/outside metal handles

### EASY CARE

- 8 mm clear coated glass
- Height 190 cm
- Removable doors on sliding models



### EASY INSTALLATION

- 25 mm wall adjustment for each wall profile
- Factory-assembled doors
- Extension profiles to gain 15 mm on each wall

## Pivot door



Pivot enclosure with fixed enclosure and fixed in-line panel 40 cm

### Pivot door with reversible right or left opening


Alcove or corner installation with fixed side panel. Factory-assembled.

Magnetic close and bottom profiles for excellent seal.

- Showering space can be widened with 1 or 2 in-line panels (E14L40-GA).

Optional 15 mm extension profile.

Note: In-line panel must be fixed to wall. Cannot be attached to a fixed side panel to form a corner.



	E14P80 +E14L40	E14P90 +E14L40	E14P100 +E14L40
Mm	1200	1300	1400
A min/maxi	1161-1211	1261-1311	1360-1405
C	560	660	760

Pivot door					Fixed side panel	
Width (cm) (A)	Min/max width (cm) door only	Min/max width (cm) with fixed panel	Opening (cm) (C)	Code	Width (cm) (B)	Code
80	74.5-79.5	76.1-78.6	56	<b>E14P80-GA</b>	40	<b>E14L40-GA</b>
90	84.5-89.5	86.1-88.6	66	<b>E14P90-GA</b>		
100	94.5-99.5	96.1-98	76	<b>E14P100-GA</b>		

## Sliding door




### Single panel sliding door, reversible right or left

Alcove or corner installation with fixed side panel. Factory-assembled.

Magnetic close and bottom profiles for excellent seal.

Quiet, fluid opening. Removable door for easy upkeep.

Optional 15 mm extension profile.



Width (cm) (A)	Min/max width door only	Min/max width with fixed panel	Opening (cm) (C)	Code
100	94.5-99.5	96.1-98.6	40	<b>E14C100-GA</b>
120	114.5-119.5	116.1-118.6	50	<b>E14C120-GA</b>
140	134.5-139.5	136.1-138.6	60	<b>E14C140-GA</b>




## Serenity shower enclosures

### Sliding corner entry




#### Corner entry - 2 sliding doors

Magnetic close and bottom profiles for excellent seal.  
Quiet, fluid open/close.



Tray width (cm) (A)	Min/max width (cm)	Opening (cm) (C)	Code
80 x 80	75.8-78.3	44.7	<b>E14A80-GA</b>
90 x 90	85.8-88.3	51.8	<b>E14A90-GA</b>

### Fixed side panel




**Right or left reversible fixed side panel for corner installation with Serenity doors (except quadrant and corner entry)**

Factory-assembled. Optional 15 mm extension profile.

Tray width (cm)	Min/max width (cm) (A)	Code
70	66.2-68.7	<b>E14F70-GA</b>
80	76.2-78.7	<b>E14F80-GA</b>
90	86.2-88.7	<b>E14F90-GA</b>

### Fixed in-line panel for pivot and bi-fold door



**In-line fixed panel for Serenity pivot and bi-fold door**

Add 1 or 2 fixed in-line enclosures to pivot and bi-fold door to enlarge showering space.

Only install against a wall.

Width (cm)	Min/max width (cm) (A)	Code
40	37.5 - 40	<b>E14L40-GA</b>

#### Optional:

Chrome extension profiles for Serenity doors (except quadrant and corner entry).


**E9A1323-GA** : + 20 mm in width

**E14025-GA** : + 25 mm in width

# Jacob Delafon bath materials

## Flight


Unique material that combines the strength of concrete with the glossy, smooth surface of acrylic. The easy care surface has received a silver ion treatment called BioCote that destroys 99.2% of bacteria after 24 hours with no chemical product added.  
For more information: [www.biocote.com/fr](http://www.biocote.com/fr)



**ODÉON RIVE GAUCHE**  
Flight technology in a new bath

## Acrylic

Jacob Delafon's acrylic is warm to the touch, recyclable, treated with anti-bacterial protection or natural. Built on top-notch expertise, products in this material come in a wide variety of shapes and styles. Our acrylic baths are mainly manufactured in France at our Troyes plant. This local production is a guarantee of quality and dependability.




**ODÉON UP**  
Ergonomic shapes, pillows and handgrips



## Cast iron

This superior material is highly resistant to impacts, burns and scratches, ensuring a long-lasting, easy-care bath. Natural soundproofing qualities and ability to keep bath water warm provide users with an enjoyable moment of relaxation.




### CLÉO

The star of interior decorating magazines – a double-ended bath you can personalise.

## Neoroc

Neoroc is a sturdy material composed of resin and Dolomite marble powder, topped with a sanitary-grade, ultra-resistant, easy-to-clean gel coat. Unusual shapes can be made with this material, thus obtaining self-supporting baths that become the centerpiece of your bathroom.



### GRANDS BOULEVARDS

Sturdy material for streamlined design

## Cast-iron baths



### Volute bath

Drop-in, undermount and flush bath  
Built-in waste and adjustable feet included.

With anti-slip bottom


Comes in 3 sizes:

**C6D038-00** Bath 180 x 80 cm - 230/160 L\*.


**C6D037-00** Bath 170 x 80 cm - 216/146 L\*.

**C6D036-00** Bath 160 x 75 cm - 170/100 L\*.

Comes in freestanding model.



Mm	E6D036	E6D037	E6D038
A	1600	1700	1800
B	750	800	800
C	1160	1230	1330
D	470	500	500
E	750	850	950
F	370	390	390
G	530	560	560
H	400	430	430
I	309	340	340



### Cléo bath

Double-ended bath with installation options: freestanding with feet or drop-in

With anti-slip bottom.

**E2901N-00** Bath 175 x 80 cm

White exterior finish


Comes in unpainted version or with exterior painted in one of the 189 RAL colours (matte or satin).

Optional:

**E4010N-00** Set of 4 adjustable claw feet painted in white

**E4014-NF** Set of metal feet for inset Cléo and Circé baths

**E7807-CP** Chrome pop-up waste for Cléo and Circé baths



### Parallel bath

With anti-slip bottom

Comes in 2 sizes:

**E2947-00** Bath 170 x 70 cm - 199/129 L\*.

▲ **E2946-00** Bath 150 x 70 cm - 166/96 L\*.

Also comes with handgrip drillings:

▲ **E2948-00** 170 x 70 cm.



▲ **E2949-00** 150 x 70 cm.

Optional:

**E4113-NF** Set of 4 adjustable feet.

**E60327-CP** Set of 2 handles.

▲ **E6D159-CP** Recommended waste. Compatible with Odéon Up and Struktura bathscreens (see p.69)



### Soissons bath

Comes in 3 sizes:

**NF** **E2921-00** Bath 170 x 70 cm - 158/88 L\*.

**NF** **E2931-00** Bath 160 x 70 cm - 145/75 L\*.

**NF** **E2941-00** Bath 150 x 70 cm - 141/71 L\*.




Optional:

**E4113-NF** Set of 4 adjustable feet.

**E6D159-CP** Recommended waste.

**Anti-slip base:** add -F- to model code (e.g., E2921-F-00).

Compatible with Odéon Up and Struktura bathscreens (see p.69)



## Rectangular Flight baths



BioCote

### Odéon Rive Gauche bath

Drop-in self-supporting bath made of Flight. Acrylic with process-incorporated antibacterial treatment. Great bath depth for total immersion. Supplied with adjustable feet. Optional: waste and chrome handgrips.

**E6D153-00** Bath 180 x 85 cm - double ended,

**E6D152-00** Bath 170 x 75 cm - double ended,


**E6D151-00** Bath 170 x 70 cm - single back,

Options:


**E70174-CP** Recommended waste for E6D153 and E6D152

**E6D159-CP** Recommended waste for E6D15

**E6D155-CP** Chrome handgrips  
Compatible with Struktura and Odéon Up bathscreens (see p.69)



	E6D152-00	E6D153-00
A	1700 <sup>-15</sup>	1800 <sup>-15</sup>
B	750 <sup>-15</sup>	850 <sup>-15</sup>
C	1220	1320
D	450	550
E	1040	1140
F	350	450
G	50	50
H	58	58



## Rectangular acrylic baths



### Odéon Up bath

Ergonomically-shaped bath with cushion and chrome handgrips. Comes in 6 sizes:

**E6058-00** Bath 180 x 90 cm  
280/210 L\*,

Without accessories: **E6D230-00**

**E6048-00** Bath 180 x 80 cm  
245/175 L\*,

Without accessories: **E6D231-00**

**E6049-00** Bath 170 x 75 cm  
205/135 L\*,

Without accessories: **E6D232-00**

**E6080-00** Bath 170 x 70 cm  
185/115 L\*,

Without accessories: **E6D233-00**

**E6057-00** Bath 160 x 75 cm  
190/120 L\*,

Without accessories: **E6D234-00**

**E6060-00** Bath 150 x 70 cm  
155/85 L\*,

Without accessories: **E6D235-00**


Optional:

**E70174-CP** Recommended waste.

**E4932-GA** Single panel bathscreen with brushed stainless steel towel rail, 5 mm clear glass

Compatible with Struktura bathscreen (see p. 67).

Available with whirlpool system.



Mm	E6058	E6048	E6049	E6080	E6057	E6060
A	1800 <sup>-15</sup>	1800 <sup>-15</sup>	1700 <sup>-15</sup>	1702 <sup>-15</sup>	1600 <sup>-15</sup>	1498 <sup>-15</sup>
B	902 <sup>-15</sup>	803 <sup>-15</sup>	755 <sup>-15</sup>	705 <sup>-15</sup>	755 <sup>-15</sup>	700 <sup>-15</sup>
C	1280	1280	1180	1180	1080	980
D	600	500	450	400	450	400
E	900	900	750	750	750	650
F	300	300	200	200	200	140
G	118/158	120/160	120/160	120/160	115/155	118/163
H	525/565	535/575	530/570	530/570	525/565	533/578



### BUILDING & RENOVATION

### Corvette bath

Comes in 6 sizes:

**E60900-00** Bath 180 x 80 cm - 195/125 L\*,

**E60905-00** Bath 170 x 80 cm - 181/111 L\*,

**E60901-00** Bath 170 x 75 cm - 166/96 L\*,

**E60902-00** Bath 170 x 70 cm - 150/80 L\*,


**E60903-00** Bath 160 x 70 cm - 140/70 L\*,

**E60904-00** Bath 150 x 70 cm - 128/58 L\*.

Optional:

**E6D159-CP** Recommended waste.

Compatible with Odéon Up and Struktura bathscreens (see p.69)



Mm	E60900	E60905	E60901	E60902	E60903	E60904
A	1798 <sup>-15</sup>	1700 <sup>-15</sup>	1700 <sup>-15</sup>	1700 <sup>-15</sup>	1597 <sup>-15</sup>	1497 <sup>-15</sup>
B	804 <sup>-15</sup>	803 <sup>-15</sup>	754 <sup>-15</sup>	705 <sup>-15</sup>	700 <sup>-15</sup>	700 <sup>-15</sup>
C	1167	1067	1067	1067	954	954
D	380	280	330	280	280	280
E	750	750	700	700	650	600
F	200	200	140	140	140	140
G	900	850	850	850	800	750

\*Maximum water volume at overflow versus water used (with 70 kg immersed body).

## Acrylic shower-baths



### Néo shower-bath

Set including bath, step and specific waste (E6D015-CP). Step height reduced to 50 cm offer enhanced accessibility. Comes in 4 dimensions:

#### CE6D004R-00

Bath 180 x 90/70, right version, 272/202 L\*.

#### CE6D004L-00

Bath 180 x 90/70, left version, 272/202 L\*.

#### CE6D002R-00

Bath 170 x 90/70, right version, 258/188 L\*.

#### CE6D002L-00

Bath 170 x 90/70, left version, 258/188 L\*.

#### CE6D000R-00

Bath 160 x 90/70, right version, 255/185 L\*.

#### CE6D000L-00

Bath 160 x 90/70, left version, 255/185 L\*.

#### CE6D119R-00

Bath 150 x 80/60, right version, 204/134 L\*.

#### CE6D119L-00


Bath 150 x 80/60, left version, 204/134 L\*.




Optional:

**E6D135-00** Reversible front and end panel set in precut aluminium.


**E4930-GA** Two-section bathscreen with chrome hinges. 6mm clear coated glass. Chrome profile. Reversible right/left. 1st fixed panel pivoting 90° and 2nd panel folding inwards 180°.



Mm	E6D119R	E6D000R	E6D002R	E6D004R
A	1495 <sup>+3</sup> <sub>-3</sub>	1590 <sup>+3</sup> <sub>-3</sub>	1690 <sup>+3</sup> <sub>-3</sub>	1790 <sup>+3</sup> <sub>-3</sub>
B	800 <sup>+3</sup> <sub>-3</sub>	900 <sup>+3</sup> <sub>-3</sub>	900 <sup>+3</sup> <sub>-3</sub>	900 <sup>+3</sup> <sub>-3</sub>
C	600 <sup>+3</sup> <sub>-3</sub>	700 <sup>+3</sup> <sub>-3</sub>	700 <sup>+3</sup> <sub>-3</sub>	700 <sup>+3</sup> <sub>-3</sub>
D	1220	1320	1320	1420
E	430	530	530	530
F	660	760	760	760
G	190	290	290	290
H	390	490	490	490



Mm	E6D119L	E6D000L	E6D002L	E6D004L
A	1495 <sup>+3</sup> <sub>-3</sub>	1590 <sup>+3</sup> <sub>-3</sub>	1690 <sup>+3</sup> <sub>-3</sub>	1790 <sup>+3</sup> <sub>-3</sub>
B	800 <sup>+3</sup> <sub>-3</sub>	900 <sup>+3</sup> <sub>-3</sub>	900 <sup>+3</sup> <sub>-3</sub>	900 <sup>+3</sup> <sub>-3</sub>
C	600 <sup>+3</sup> <sub>-3</sub>	700 <sup>+3</sup> <sub>-3</sub>	700 <sup>+3</sup> <sub>-3</sub>	700 <sup>+3</sup> <sub>-3</sub>
D	1220	1320	1320	1420
E	430	530	530	530
F	660	760	760	760
G	190	290	290	290
H	390	490	490	490



### Struktura shower-bath

Wide showering space with flat bottom and raised back for bathing comfort. Height reduced to 50 cm for easier entry.

**NF E6D020-00** Bath 170 x 70 cm - 192/122 L\*.


**NF E6D021-00** Bath 170 x 75 cm - 178/108 L\*.




Optional:

**E6D159-CP** Standard waste.

**E6D042-GA** Bathscreen (see text below).



#### E6D020



#### E6D021

## Acrylic corner baths and bathscreens




### Domo bath

**E60223-00** Corner bath  
135 x 135 cm - 230/160 L\*.  
Also comes with self-supporting frame  
and factory-assembled panel  
E60224-00

Optional:

**E6187-00** Acrylic panel 135 x 135 cm.  
**E6D159-CP** Recommended waste.






\*Maximum water volume at overflow versus water used (with 70 kg immersed body).

## Bathscreens






### E4932-GA Odéon Up - Bathscreen

Single section pivoting inwards and outwards,  
with brushed stainless steel towel rail. 6 mm clear  
coated glass. Chrome profiles. Reversible left/right.



### E6D042-GA Struktura bathscreen

Single section pivoting inwards and outwards.  
Built-in lift system, 8 mm clear coated glass Chrome  
profiles. Reversible right/left  
With black profiles: **E6D042-BLV**



E6D042-BLV







## New Jacob Delafon patented quick-install system

Install in 5 steps and 35 seconds: easy, fast and secure



### Threaded rod with retainer

- Saves time
- Protects inside mechanism



### Centering washer

- Optimised installation
- Better stability
- Eliminates risk of leaking



### Horseshoe clamp with integrated fibre washer

- More convenient



### Speed nut in polyamide and fibreglass

- Quick, secure fixing
- Resists corrosion

## Aleo single-lever mixers with quick-fix systems





### E72275-4-CP Single-lever basin mixer

with PEX rotating supply hoses  
Temperature control ring.  
Anti-scale aerator. Metal waste. Side lift rod  
Maximum flow 5L/min  
Includes 5/35" quick install kit.  
ECAU: E00 Ch2 A3 U3 Ps3.





### E98332-4-CP Single-lever washbasin mixer

With C3 water- and energy-efficient cartridge  
(lever in centre position = cold water).  
Sensitive flow control.  
Maximum flow 9L/min.  
ECAU: E0 C3 A2 U3 Ge5.



### E72298-4-CP Single-lever basin mixer, tall model

with PEX rotating supply hoses.  
Temperature control ring. Metal waste. Side lift rod. Maximum flow 5L/min.  
Includes 5/35" quick install kit.  
Comes without waste: E72299-4-CP





### E72278-CP Washbasin mixer, tube spout

With PEX rotating supply hoses.  
Temperature control ring.  
Anti-scale aerator. Metal waste.  
Side lift rod. Maximum flow 5L/min.  
Includes 5/35" quick install kit.



### E98331-CP Single-lever basin mixer, tube spout


With C3 water- and energy-efficient cartridge  
(lever in centre position = cold water).  
Sensitive flow control.  
Maximum flow 10L/min



## Aleo single-lever mixers with quick-fix systems






- NF E72284-CP Single-lever monobloc bath/shower mixer** with supply hoses  
Temperature control ring.  
"Coin" anti-scale aerator  
Non-return valve on shower outlet.  
Automatic pushbutton diverter  
ECAU: E3/1 C2 A2 U3.





### WATER CONSERVATION

- NF E72282-CP Single-lever bath/shower wall mixer**  
Automatic pushbutton diverter  
"Coin" anti-scale aerator  
Connectors and wall escutcheons  
Temperature control ring.  
Sensitive flow control.  
ECAU: E3/1 C2 A2 U3 Ge3.  
Comes in a deck-mount model:





### WATER CONSERVATION

- NF E72351-CP Wall-mount single-lever thermostatic mixer**  
Temperature control ring  
Water-saving feature: sensitive stop.  
Non-return valve on shower outlet.  
With connectors and wall escutcheons.





### WATER CONSERVATION

- NF E72286-CP Thermostatic single-lever shower mixer**  
Pushbutton diverter  
Water saver: push-in stop  
Safety stop at 37°C.  
Maximum temperature below 50°C.  
Warm body. Metal handles  
Non-return valves on supplies.  
"Coin" anti-scale aerator  
Connectors and wall escutcheons  
Comes in deck-mount version: **E72287-CP**  
Comes in shower model: **E72352-CP**



### WATER CONSERVATION

- NF E72352-CP Thermostatic single-lever shower mixer**  
Water saver: push-in stop  
Safety stop at 37°C.  
Maximum temperature below 50°C.  
Warm body.  
Metal handles  
Connectors and wall escutcheons  
ECAU: E1 C3 A3 U3 Ge5.





## Strayt single-lever mixers



### E8776-CP Single-lever basin mixer - Standard

with PEX supply hoses  
Temperature control ring.  
Anti-scale aerator. Metal waste. Maximum flow 5 L/min.



Comes without waste: **E8919-CP**  
Comes in tall model, height 320 mm:  
**E37329-CP and E98340-CP (without waste)**



### E37327-CP Single-lever basin mixer - Medium


with supply hoses.  
Temperature control ring.  
Built-in, slanted anti-scale aerator  
Metal waste  
Maximum flow 5L/min

Comes without waste: **E98339-CP.**




### E9096-CP Thermostatic single-lever shower mixer

Safety stop at 40°C. Maximum temperature below 50°C.  
Water saver: push-in stop  
Warm body.  
Metal handles  
Non-return valves on supplies  
Connectors and wall escutcheons





### E9127-CP Thermostatic single-lever bath/shower wall mixer

Diverter built into flow handle  
Safety stop at 40°C.  
Maximum temperature below 50°C.  
Warm body.  
Metal handles  
Non-return valves on supplies.  
Built-in, slanted anti-scale aerator  
Connectors and wall escutcheons.  
Comes in a deck-mount model: **E9129-CP**



### E45371-CP Single-lever shower mixer

Temperature control ring.  
Non-return valve  
Connectors and wall escutcheons





## Cüff single-lever mixers





### NF E37301-CP Single-lever basin mixer - Standard

with PEX supply hoses.  
Temperature control ring.  
Built-in, slanted anti-scale aerator.  
Side lift rod  
Metal waste  
Maximum flow 5L/min  
Comes without waste: **E98297-CP** NF  
Comes in C3 version: **E77306-CP** with waste NF  
Comes in C3 version: **E770307-CP** without waste NF  
ECAU : E0 C3 A2 U3 Ge5.





### NF E37041-CP Single-lever basin mixer - Medium

with PEX supply hoses.  
Temperature control ring.  
Built-in, slanted anti-scale aerator.  
Side lift rod  
Metal waste  
Maximum flow 5L/min  
ECAU: E00 Ch2 A3 U3 Ps3  
Comes without waste: **E98298-CP** NF  
Comes in C3 version: **E77308-CP** with waste NF  
Comes in C3 version: **E77309-CP** without waste NF  
ECAU E0 C3 A2 U3 Ge5.  
Exists in a tall version: **E98299-CP**





### NF E37035-CP Thermostatic single-lever shower mixer

Water saver: Push-in stop.  
Safety stop at 38°C.  
Maximum temperature below 50°C.  
Warm body. Metal handles  
Non-return valves on supplies.  
Connectors and wall escutcheons  
ECAU: E1 C3 A3 U3 Ge5.





### NF E78520-CP Thermostatic single-lever bath/shower wall mixer

Diverter built into flow handle  
Safety stop at 38°C.  
Maximum temperature below 50°C.  
Built-in anti-scale aerator.  
Warm body. Metal handles  
Non-return valves on supplies.  
Connectors and wall escutcheons  
ECAU: E1 C3 A3 U3 Ge5.  
Comes in a deck-mount model: **E78521-CP**



### NF E45532-CP Single-lever bath/shower wall mixer

Automatic diverter with locking feature.  
Temperature control ring.  
Connectors and wall escutcheons  
Built-in anti-scale aerator.  
ECAU: E3/1 C2 A2 U3 Ge3  
Comes in a shower model: **E45533-CP** NF  
ECAU : E1 C2 A3 U3 Ge3.  
Comes in a deck-mount model: **E37043-CP**







**NF E16027-4D-CP Single-lever basin mixer with PEX**  
supply hoses and metal waste.  
Sensitive flow control. Side lift rod.  
Anti-scale aerator Flow rate: 10 L/min.  
Temperature control ring.  
ECAU: E0 C2 A2 U3 Ge3.



Comes with a metal/plastic waste: **E16027-4-CP** **NF**

**NF E98258-CP Single-lever washbasin mixer with C3**  
**cartridge**

Metal waste. Flow rate: 10L/min.

ECAU: E0 C3 A2 U3 Ge6.

Also comes with metal-plastic waste. **E98257-CP** **NF**





**E16029-4-CP Single-lever wall mixer**

Temperature control ring

Water-saving feature: sensitive stop.

Connectors and wall escutcheons.



**NF E8455-CP Thermostatic single-lever wall**  
**shower mixer**

Water saver: push-in stop

Safety stop at 40°C. Maximum temperature below 50°C.



Non-return valves on supplies. Warm body.

Connectors and wall escutcheons

ECAU: E1 C3 A3 U3 Ge5.

Comes in bath/shower model: **E45714-CP** **NF**

ECAU : E3/1 C3 A2 U3 Ge5.



**NF E16033-4-CP Single-lever bath/shower wall**  
**mixer with lockable automatic diverter.**

Sensitive flow control. Temperature control ring.

Non-return valve on shower outlet.

Connectors and wall escutcheons.

Anti-scale aerator.



ECAU: E3/1 C2 A2 U3 Ge3.

Comes in a Monobloc model: **E16028-4-CP** **NF**

Comes in deck-mount version: **E16043-CP** **NF**

Comes in a shower model: **E16029-4-CP** **NF**

ECAU: E1 C2 A3 U3 Ge3.



### Save water and energy with C3-rated taps

In 2013, a new C3 rating was added to the ECAU ratings defined by the CSTB.

C3 requirements, added to C2 ratings which promote water efficiency with a water-saving stop or a sensitive flow control feature, are as follows:

For thermostatic valves, mixed water is limited to 50°C.

For mechanical mixers, no hot water is used when the lever is centered with the tap.

For public institutions, the EChAU rating applies, with a flow rate of 5 L/min on washbasins.

*This development is part of the 2012 Thermal Regulations (RT 2012). Per these regulations, an energy-efficient (BBC) home equipped with a single-lever basin mixer, a single-lever kitchen mixer, and a thermostatic shower valve meeting C3 requirements, reduces energy use 5% for domestic hot water (i.e., 10% of the energy used in the home) and 25% of water usage.*



## Brive single-lever mixers with quick-fix systems


**BUILDING & RENOVATION**

### WATER CONSERVATION

#### **NF E78110-4-CP Single-lever basin mixer with supply hoses**

Temperature control ring.  
Side lift rod  
Metal waste  
Anti-scale aerator  
Maximum flow 5L/min  
Comes with a metal/plastic waste:

**E75760-4-CP**

Comes without waste: **E75762-4-CP**



#### **NF E78111-4-CP Single-lever basin mixer with C3 cartridge**

For water savings (lever in centre position = cold water). Sensitive flow control.

Metal waste  
Maximum flow 9L/min  
ECAU: E0 C3 A2 U3 Ge5  
Comes with a metal/plastic waste:  
**E75759-4-CP**


#### **NF E78116-4-CP Single-lever washbasin mixer, tube spout, with C3 cartridge**

Sensitive flow control. Metal waste.  
Maximum flow 9L/min.  
ECAU: E00 Ch3 A3 U3




#### **NF E75769-4-CP Single-lever monobloc bath/shower mixer**

Supply hoses with G 3/8 connectors  
Temperature control ring.  
Sensitive flow control.  
Automatic diverter with locking feature.  
Anti-scale aerator  
Non-return valve on shower outlet.  
ECAU: E3/1 C2 A2 U3 Ge3




#### **NF E75765-CP Single-lever shower wall mixer**

Temperature control ring.  
Sensitive flow control.  
Non-return valve on shower outlet.  
Connectors and wall escutcheons.  
ECAU: E1 C2 A2 U3 Ge3



#### **NF E75766-CP Single-lever bath/shower wall mixer**


Temperature control ring.  
Sensitive flow control.  
Connectors and wall escutcheons.  
Automatic diverter with locking feature.  
ECAU: E3/1 C2 A2 U3 Ge3  
Comes in a deck-mount version: **E75768-CP**.  
Single-lever mixer compatible with universal pillar connectors: E75466-CP.




## Kitchen taps




- NF E562-CP Malleco – Single-lever kitchen mixer with pullout sprayhead**  
 Swivel tube spout. Anti-scale dual function sprayhead: aerated stream and sweep spray. Supplied with 3 interchangeable levers: black, white and taupe.  
 Maximum flow 7 L/min.  
 Height 383 mm, reach 229 mm.  
 Comes in stainless steel version **562-VS**  
 Comes in version with electronic sensor  
**E77748- CP** in Chrome and **E77748-VS** in stainless steel




- E23310-CP pirale – Semi-pro single-lever kitchen tap with tight coils.**  
 For water and energy savings (lever in centre position = cold water).  
 3-function pullout sprayhead: classic spray, intense spray, pause. Pivots 360°.  
 Maximum flow rate 7L/min.  
 Magnetic arm so that sprayhead returns perfectly back into place.




- NF E76250-CP Natéo - Single-lever kitchen mixer with swivel, fold-down tube spout**  
 for installation under a window, and PEX supply hoses.  
 Temperature control ring. Water-saving feature: sensitive stop. Anti-scale aerator.  
 Flow rate: 9 L/min. Tap drilling Ø 35 mm  
 Fold-down tube height: 85 mm



- E72360-CP Aleo – Single-lever kitchen tap, tube spout, with PEX supply hoses.** Swivel tube spout.  
 Temperature control ring. Built-in anti-scale aerator. Tap drilling Ø 35 mm.  
 Maximum flow rate 8 L/min.



- NF E98333-CP Aléo - Single-lever kitchen mixer with C3 cartridge and PEX supply hoses**  
 For water savings (lever in centre position = cold water). Swivel tube spout.  
 Built-in anti-scale aerator  
 Flow rate: 10 L/min.  
 Drilling Ø 35 mm.  
 ECAU: E0 C3 A2 U3




## Kitchen taps



### **NF** E99477-CP Kumin - Single-lever kitchen skin mixer with C3 cartridge

For water and energy savings (lever in centre position = cold water).  
Tube spout with supply hoses  
Temperature control ring  
Sensitive flow control. Anti-scale aerator  
Flow rate: 10 L/min.  
ECAU: E0 C3 A2 U3 Ge5.



### **NF** E5243-CP July - Single-lever sink mixer, swivel tube spout, with PEX supply hoses


Sensitive flow control. Temperature control ring.  
Anti-scale aerator. Flow rate: 10 L/min.  
Comes in a profiled spout version: **E10684-4-CP** **NF**  
ECAU: E0 C2 A2 U3 Ge3.

### **NF** Comes with a C3 cartridge E98325-CP

Flow rate: 10 L/min

### **NF** E98324-CP CP July single-lever sink mixer, profiled spout

Drilling Ø 35 mm.  
ECAU: E0 C3 A2 U3 Ge5.




### **NF** E75770-CP Brive - Single-lever sink mixer with C3 cartridge

For water and energy savings (lever in centre position = cold water).  
Supply hoses. Swivel tube spout  
Temperature control ring. Sensitive flow control.  
Flow rate: 10 L/min.  
ECAU: E0 C3 A2 U3 Ge5


### **NF** E78115-CP Brive - Single-lever kitchen mixer, profiled spout

ECAU: E0 C3 A2 U3 Ge5



### **E78114-CP Brive - Single-lever wall-mount kitchen mixer - pivot tube spout.**

C3 water- and energy-saving cartridge.  
Temperature control ring. Anti-scale aerator.  
Flow rate: 11L/min.  
ECAU: In process.



## WATER DELIVERY

### Modulo

Built-in system to design and personalise your showering space.

Modulo is a universal platform for mechanical mixers, thermostatic mixers or 3-way diverters.

#### PERSONALISATION

- Compatible with mechanical mixers, thermostatic mixers, or 3-way diverters

#### EASY, DEPENDABLE INSTALLATION

- Multiple fixing points for easier installation
- The flexible system works on all surfaces 80 to 110mm deep, tiling included

#### EASY MOUNTING

- Valves and trims can be installed at the end of the project and be replaced at a later time

#### STYLE

- Streamlined, stylish showering space
- Metal trims, round or square, contemporary or classic handles that suit all bathroom styles

### 1 WATER OUTLET



Built-in thermostatic or mechanical mixer

### 2 WATER OUTLETS



Built-in thermostatic or mechanical mixer

### 3 WATER OUTLETS



3 built-in diverters, 3 water outlets





## DTV Prompt digital shower

DTV Prompt, un système de douche électronique simple et intuitif:

- **Pre-heats your shower without wasting water:** Once the desired temperature is reached, the water pauses until you step into the shower.
- **Pause:** Pauses water flow while you shave or shampoo.
- **Timer:** Shower time can be pre-set to save on water or fill the bath
- **Supply several accessories:** With 2 water outlets G1/2, a handshower, side sprays, showerhead, and bath filler, etc. can run successively, with a maximum flow 30 L/min per outlet, or together with a maximum flow of 50 L/min at 3 bars.
- **Easy to install:** The interface is connected to the thermostatic unit via a 6-meter cable. The thermostatic unit, equipped with a 12V transformer, hooks up to the power supply. Two interfaces may be connected to the thermostatic unit for starting the system outside the shower (advised for accessibility).



**527D-0 Digital interface, white**

**527D-1CP Digital interface, Chrome/satin**

6-meter cable + RJ11 phone extension cord supplied

Dimensions 197 x 68 x 19 mm



**528D-K-NA Thermostatic unit**

2 G $\frac{1}{2}$  supplies – 2 G $\frac{1}{2}$  outlets

Flow rate: In function of the accessories (maximum 50 L/min for 2 outlets, or 30 L/min for 1 outlet)

Dimensions 340 x 318 x 68 mm





## WATER DELIVERY

### July shower and bath/shower columns

#### SHOWERHEAD OPTIONS

- Available with round or square showerheads

#### EASY ADJUSTMENT

- Sliding swivel metal handshower holder, easy to hand adjust
- Adjustable shower arm position

#### ERGONOMIC

- Discreet metal diverter (positioned on shower hose outlet) or in the flow handle



#### E78192-CP July - Bath/shower column with thermostatic mixer and square showerhead

Adjustable shower arm position and height can be adjusted during installation. Diverter integrated into handle to switch between showerhead and bath.

Lockable diverter to switch between bath and handshower.

Push-in safety stop at 37°C.

Maximum temperature below 50°C. Warm body.


Square showerhead in ABS 200 mm (flow rate 10 L/min).

Citrus handshower Ø 90 mm - 4 sprays

Smooth, anti-twist shower hose 1750 mm.

Non-return valves on supplies.

Also comes with round showerhead: **E99741-CP**



#### BUILDING & RENOVATION

#### E5523-CP July - Shower column with thermostatic mixer and square shower head

Shower arm position can be adjusted during installation

Water saver: push-in stop

Push-in safety stop at 37°C. Maximum temperature below 50°C.

Warm body.


Square showerhead in ABS 200 mm (flow rate 10 L/min).

Smooth, anti-twist shower hose 1600 mm.

Citrus handshower Ø 90 mm - 4 sprays

Discreet diverter on shower hose outlet.

Also comes with round showerhead: **E45716-CP**






## WATER DELIVERY


### Shower columns




**E20642-CP Oblo Design – Shower column with thermostatic mixer.**  
 Rectangular metal showerhead 400 x 250 mm, (flow rate: 15 L/min).  
 Smooth, anti-twist, metal-look shower hose 1600 mm.  
 All-chrome handshower Ø 120 mm (Flow rate: 10 L/min.).  
 Diverter built-in flow handle.  
 Safety stop at 38°C.  
 Temperature under 50°C.  
 Warm body.  
 Non-return valves on supplies..




**E98321-CP Strayt - Shower column with thermostatic mixer.**  
 Square metal rotating showerhead: 250 mm (flow rate: 10 L/min).  
 Safety stop at 38°C.  
 Maximum temperature below 50°C.  
 Warm body.  
 Metal handles  
 Diverter on thermostatic flow handle  
 Sliding swivel handshower holder  
 Smooth, anti-twist shower hose  
 Shift Square 2 spray handshower




**E11717-CP Oblo - Shower column with thermostatic mixer**  
 Round metal rotating showerhead: 250 mm (flow rate: 10 L/min).  
 Diverter on thermostatic flow handle  
 Safety stop at 38°C.  
 Maximum temperature below 50°C.  
 Warm body.  
 Metal handles  
 Sliding swivel handshower holder  
 Smooth, anti-twist shower hose  
 EO Small handshower



**E8993-CP Toobi - Shower column with thermostatic mixer and round showerhead**  
 Round metal showerhead Ø 250 mm (flow rate: 10 L/min).  
 Shower arm Ø 25mm can be adjusted during installation  
 Smooth, anti-twist shower hose 1600 mm.  
 Shift Ellipse handshower, 2 sprays (flow rate: 10 L/min).  
 Thermostatic valve with diverter on flow handle.  
 Safety stop at 40°C.  
 Maximum temperature below 50°C.  
 Warm body.  
 Non-return valves on supplies.  
 Comes in a standard version:

**E78522-CP** 

With showerhead in ABS and Stick handshower – single spray.  
 ECAU: E1 C3 A3 U3





## WATER DELIVERY

### Shower columns



#### **E11715-CP EO Round – Shower column (without fittings)**

Rotating showerhead in ABS: 200 mm  
(flow rate: 10 L/min).

Shift Ellipse handshower, 2 sprays.

Shower arm can be positioned at 150° during installation.


Discreet diverter on shower outlet.

Smooth, anti-twist shower hose 1.60m and tap connector hose 0.75m.

Sliding swivel handshower holder

Also comes in square showerhead version:

#### **E11716-CP**



#### **E45893-CP EO Eco - Shower column (without fittings)**

Square rotating showerhead 200 mm in ABS (flow rate: 10 L/min).


Citrus handshower Ø 90 mm - 4 sprays

Ergonomic diverter

Smooth, anti-twist shower hose 1.60 m and

tap connector hose 0.75 m

Sliding swivel handshower holder



## Sets and handshower



**Awaken Geometric**  
**E99898-CP Awaken - Shower set with bar and soap dish.**  
 Handshower n Ø 110 mm - 3 sprays  
 Flow rate: 9 L/min with flow control.  
 Metal bar Ø 22 mm - Length 60 cm.  
 Smooth, metal-look anti-twist hose 1600 m.  
 MasterClean anti-scale system.  
 Adjustable fixings.

**E72415-CP Awaken - Handshower Ø 110 mm - 3 sprays.**  
 MasterClean anti-scale system.  
 Flow rate: 9 L/min with flow control  
 Also comes in:  
 Titanium **E72415-TT** and Brushed Nickel **E72415-BN**



**E12920-CP Citrus Ø 110 - Shower set with metal bar**  
 0.60 m and soap dish.  
 Smooth, anti-twist hose 1.60 m.  
 Citrus handshower Ø 110 mm - 5 sprays  
 Anti-scale system.  
 Flow reducer: 10 L/min.  
 Comes in Ø 90 mm version:  
**E12907-CP**

**E12917-CP Citrus Ø 110 - Shower set** with 3-position wall holder, in ABS.  
 Also comes in Ø 140 mm & Ø 90 mm.  
 Comes with handshower Ø 140 mm & Ø 90 mm.



**E99940-CP EO Large - Shower set with metal bar** 0.90 m and soap dish.  
 Smooth, anti-twist hose 1.60 m, metal look  
 EO Large anti-scale handshower.  
 Flow control: 10 L/min.

**E99938-CP EO Small - Shower set** with metal bar 0.60 m and soap dish.  
 Smooth, anti-twist shower hose 1.60 m  
 EO Small anti-scale handshower.  
 Flow reducer: 10 L/min.



**E14325-CP Basic 1 - Shower set with metal bar** 0.60 m, soap dish.  
 Double-interlock metallic hose 1.75 m and 2-spray anti-scale handshower.  
 3 flow reducers: -20%, -30%, -50%.

**E14326-CP Basic 1 - Shower set with fixed wall support** in ABS, double-interlock, metallic hose 1.75 m.  
 2 spray anti-scale handshower.  
 3 flow reducers: -20%, -30%, -50%.




**BUILDING & RENOVATION**  
**E14320-CP Eco - Shower set with metal bar** 0.60 m, soap dish.  
 Double-interlock, metallic anti-twist hose 1.75 m, and single-spray anti-scale handshower.  
 3 flow reducers: -20%, -30%, -50%.

**E14321-CP Eco - Shower set with fixed wall support** in ABS.  
 Double-interlock, metallic hose 1.75 m, and single-spray anti-scale handshower.  
 3 flow reducers: -20%, -30%, -50%.



**E21756-CP Brive - Handshower Ø100 mm - 5 sprays.**  
 Anti-scale nozzles.  
 Flow rate: 10 L/min.  
 Optional: Smooth, anti-twist, metal-look hose 1600 mm - **E75206-CP**.





# Accessibility

## CERAMIC FIXTURES

90 - 95

Elongated wall-hung toilets

Rimmed or rimless wall-hung toilets

Raised close-coupled toilets

Vanity tops

Vanity basins, washbasins and handwash basins

## SHOWERS

96 - 108


Ceramic shower trays

Flight shower trays


Accessories






The accessibility section was drafted with support from the CEP-CICAT.



## Installing an elongated wall-hung toilet with a support frame






- BUILDING & RENOVATION**
- NF E1195-00 Odéon - Elongated wall-hung toilet**  
71 x 36 cm, compliant with PRM regulations.  
Side access via transfer movement from wheelchair.  
Dual 3/6 L flush.



- NF E4750-00** Thermoset seat, stainless steel quick-fix hinges.



- BUILDING & RENOVATION**
- E1195-Y1-00 Odéon - Elongated wall-hung toilet without seat holes**  
71 x 36 cm, compliant with PRM regulations.  
Side access via transfer movement from wheelchair.  
Dual 3/6 L flush.



### Lavatories in public-access buildings (PABs)

Public lavatories must include:

- An accessible washbasin
- At least one lavatory designed for disabled individuals in wheelchairs

Washbasins (or at least one washbasin per set of washbasins) must be accessible to the disabled individuals as well as various accessories (mirror, soap dispenser, hand dryer, etc.).

A lavatory equipped for the disabled must include:

Aside from the door motion, a transfer space 0.80/1.30 m to the toilet;

- Maximum maneuvering space (Ø 1.50 m) and turn-around space inside the lavatory (or outside in front of the door);
- A device enabling individuals to close the door behind themselves once inside;
- A handwash basin with a maximum rim height of 0.85 m;
- Toilet seating area between 0.45 m and 0.50 m in height from the floor, toilet seat included, except for toilets specifically designed for children;
- A side grab rail next to the toilet (height between 0.70 m and 0.80 m), enabling an individual to transfer from a wheelchair with support.

We recommend positioning the WC so that the center line is located between 0.35 and 0.40 m from the wall the rail is mounted to, and 0.40




## Rimless toilets



PRM

Support frames: see page 115

### Installing a wall-hung toilet with a support frame



## Rimless toilets

### EFFECTIVE WASTE DRAINAGE

Powerful flush guarantees optimal bowl coverage

### EFFECTIVE RINSE

Efficient design directs water to the front of the bowl


### EASY UPKEEP AND MAXIMUM HYGIENE

No rim means every nook and cranny is accessible



**EDM102-00 Vox - Smooth-sided rimless wall-hung toilet** 50 x 36 cm. Dual 3/6 L flush. Invisible fixings supplied.

**E20142-00** Thermoset extra-slim, removable slow-close seat, metal hinges



### WATER CONSERVATION

**EDR112-00 Odéon Rive Gauche - WC pack, rimless wall-hung toilet** 54 x 36.2 cm. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush. Thermoset seat, metal hinges.



**EDR132-00 Odéon Rive Gauche - WC pack, rimless wall-hung toilet** 54 x 36.2 cm. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush. Thermoset extra-slim, slow-close removable seat, metal hinges.

**EDR102-00 Odéon Rive Gauche - Rimless wall-hung toilet** 54 x 36.2 cm. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush.

**E24888-00** Thermoset seat, stainless steel hinges.

**E24889-00** Thermoset extra-slim, slow-close removable seat

**EDR002-00 Rimless wall-hung toilet** 54 x 36.2 cm, no seat holes. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush.






EDR112




EDR132






- NF E4764-00 Odéon Up - Wall-hung toilet**  
54 x 36.5 cm. Dual 3/6 L or 3/6L flush. 6L.
- NF 8407K-00** Thermoset seat, stainless steel quick-fix hinges.
- NF 8409K-00** Thermoset removable slow-close seat, stainless steel hinges.
- NF 8322K-00** Thermoset extra-slim anti-bacterial, removable slow-close seat, stainless steel hinges.








- EDE112-00 Struktura - WC pack, rimless wall-hung toilet** 54 x 34 cm. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush. Thermoset seat, metal hinges.
- EDE122-00 Struktura WC pack, rimless wall-hung toilet** 54 x 34 cm. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush. Thermoset extra-slim, removable, slow-close seat, metal hinges.







- EDV101-00 Patio - Rimless wall-hung toilet**  
53.5 x 36 cm. Dual 3/6 L flush.
- E4303-00** Thermoset seat, metal hinges.
- E70021-00** Thermoset extra-slim, removable, slow-close seat.






-  **WATER CONSERVATION**
-  **BUILDING & RENOVATION**
- NF E4345-00 Brive - Wall-hung bowl**  
52 x 36 cm. Dual 3/6 L flush.
- E4359G-00** Polypropylene seat, adjustable metal hinges.
- E70014-00** Polypropylene slow-close seat, plastic hinges.



-  **BUILDING & RENOVATION**
- NF E4345-Y1-00 Brive - Wall-hung toilet** without seat holes  
52 x 36 cm.  
Dual 2.6/4L or 3/6 L flush.




- NF E1755-00 Institutional - Wall-hung toilet** no seat  
53.5 x 35.5 cm.  
With built-in ceramic seating.  
Dual 3/6 L flush. 6L.






# Raised close-coupled toilets PRM

## Installing a raised close-coupled toilet



- NF E0523-00 Odéon Up - WC pack raised close-coupled toilet, P-trap**  
 68 x 36.5 cm. Height 45 cm.  
 Complies with PRM regulations.  
 Complete factory-fitted cistern with water-saving 3/6 L flush.  
 Quiet float valve, side inlet.  
 Rapid assembly system.  
 Thermoset seat, stainless steel quick-fix hinges 8407K.  
 Quick floor-fixing kit supplied.






- BUILDING & RENOVATION**
- NF E1730-00 Brive - Raised close-coupled toilet, P-trap.**  
 68.5 x 35.5 cm. Height 45.5 cm.  
 4 floor anchor points for maximum stability.  
 Complies with PRM regulations.  
 Dual 3/6 L flush



- NF E4452-00** Complete factory-fitted cistern with water-saving 3/6L flush, quiet float valve, side inlet.

- NF E4357G-00** Polypropylene seat, adjustable metal hinges.

- NF E22751-00** Brive raised WC pack groups the three products above.



## Installing washbasins in buildings open to the general public (PABs)



### PAB law, article 11

"An accessible washbasin must present a space underneath of at least 0.30 m in depth, 0.60 m in width and 0.70 m in height, so that the wheelchair user can get his/her feet and knees under the basin."

The choice of fittings and brassware selection and position should allow full use of the washbasin in a seated position.

#### Recommendations:




- An offset trap is preferable.
- Maximum height below mirror: 1.05m/floor
- To meet washbasin accessibility requirements, lever or automatic taps are recommended

Dimensions in mm



**E4492-00 PRM Formilia Spherik - Self-supporting vanity top** 70 x 54.5cm, 1 centre tap hole.  
Complies with PRM regulations.

**E78297-CP** Design bottle trap, short model, height-adjustable, with wall escutcheon. Reduced flow brassware recommended.






**E4494-00 PRM Odéon Up - Self-supporting vanity top** 70 x 54.5cm, 1 centre tap hole.  
Complies with PRM regulations.

**E4494-X5-00 PRM Odéon Up self-supporting vanity top** 70 x 54.5 cm, 1 centre tap hole, no hole overflow. Complies with PRM regulations.




**E4724-39R** Set of 2 legs.

**E4497-39R** Towel rail in shiny grey metal.

**E78297-CP** Design bottle trap, short model, height-adjustable, with wall escutcheon.





**EXBA112-00 Odéon Rive Gauche - Self-supporting vanity top** 61 x 51 cm, 1 tap hole.  
Also comes in L81, 101, 121 and 141 cm



**E1980-00 Handilav - PRM washbasin** 70 x 54.5 cm, self-supporting, 1 tap hole. Without overflow hole. Left tap drilling option E1980L or right tap drilling option E1980R.

**E6050-CP** Complete waste with offset trap in white polypropylene and overflow waste. Stainless steel strainer overflow waste. Waste in white polypropylene. Recommended taps: July, positioned to the right or left, especially with overflow waste. July taps centred on washbasin are incompatible with overflow.



# Vanity basins, PRM washbasins and handwash basins




PRM



## E16024-4-CP - July single-lever mixer with Easy lever.

Easy factory-assembled elbow-control lever 150 mm. Sequential cartridge (on/off and adjustment by moving lever horizontally). Factory-set maximum temperature 40°C. (with hot water at 62°C and cold water at 12°C under 3 bars). Side lift rod. Metal waste. Anti-scale aerator. PEX high-resistance hoses. Optional: supply hoses for medical facilities E75812.




## NF E4495-00 PRM Odéon Up - Self-supporting washbasin

70 x 56.5 cm, 1 tap hole. Complies with PRM regulations.


## NF E4495-X5-00 PRM Odéon Up - Self-supporting washbasin

70 x 56.5 cm, 1 tap hole, no overflow hole. Complies with PRM regulations.




## NF E4756-00 Odéon Up - Inset vanity basin

56 x 44 cm, 1 tap hole.



## EGG111-00 PRM Struktura - Self-support washbasin

60 x 54 cm, 1 tap hole. E77852-CP Towel rail for 60 cm washbasin



## NF E4701-00 Odéon Up - Compact handwash basin


50 x 22.5 cm, 2 pre-drilled side holes with overflow hole, no overflow cover supplied.

## NF E4701L-00 Odéon Up - Compact handwash basin

1 left tap hole, with overflow hole.

## NF E4701R-00 Odéon Up - Compact handwash basin

1 right tap hole with overflow hole. E4699-00 Odéon Up - Compact handwash basin 50 x 22.5 cm, 2 pre-drilled side tap holes. No overflow hole.



## NF E4759G-00 Odéon Up - Handwash basin


40 x 25, 1 left tap hole, with overflow hole.

## NF E4799G-00 Odéon Up - Handwash basin

40 x 25 cm, 1 right tap hole, with overflow hole.

## NF E4759C-X5-00 Odéon Up - Handwash basin

40 x 25 cm, 1 left tap hole, no overflow hole. E4799C-X5-00 Odéon Up - Handwash basin 40 x 25 cm, 1 right tap hole, no overflow hole







## Replay ceramic shower trays



PRM

### INSTALLATION PRM

- Ultra-slim ceramic shower trays, height 4 cm, flush or recessed installation
- Complies with PRM regulations: no inside or outside projection with flush installation, exterior projection 18 mm in recessed installation
- With Class B slip-resistant glaze for added safety
- 5 dimensions: square and rectangle
- With fast-flow waste and flush square cover
- 10-year guarantee

### CLASS B ANTI-SLIP GLAZE

- High safety of use
- Satin look, smooth surface
- Easy care: good cleanability with water and household products
- Uniquely durable and resistant vitrified glaze

### FLUSH-FIT SQUARE WASTE COVER IN ABS

- Naturally slip-resistant
- Excellent stability and safety of use
- Exceptionally impact-resistant
- Very high flow rate 36 L /mn
- Anti-seepage, central position promotes flow convergence away from the wall
- Easy care: removable hair trap. Waste allowing access to pipework

Ceramic shower trays	Dimensions (cm)	Anti-slip white	White
----------------------	-----------------	-----------------	-------

Square

90 x 90  
100 x 100

N140K-220  
N141K-220

N140K-00  
N141K-00


Rectangle

100 x 80  
120 x 80  
120 x 90

N143K-220  
N144K-220  
N147K-220

N143K-00  
N144K-00  
N147K-00


Waste	Chrome	Velvet chrome	White
-------	--------	---------------	-------

Complete fast-flow waste, horizontal outlet, flush-fit square cover in ABS

E78260-CP

E78260-00

Complete waste, vertical outlet, removable square metal cover


E78267-CP

E78267-38R


Complete extra-slim waste, horizontal outlet, removable square metal cover

E78268-CP


E78268-38R




N147K




N144K



N141K



N143K



N140K

	Standards	XP 05-010	DIN 51097
Angle of inclination		Group	Class

6° to 12°

Mini AFISB



PN6

12° to 18°

> 12°  
Average adherence


PN12

A

18° to 24°

> 18°  
High adherence


PN18

B

&gt; 24°

> 24°  
Very high adherence


PN24

C


E78260-CP - Chrome  
E78260-00 - White

Replay and Odéon Up must be fitted with waste E78260-CP

Model and/or colour available while stocks last.



## Kyreo extra-slim ceramic shower trays



PRM



### ABOVE THE FLOOR OR INSET

- Extra-slim shower tray: 4 cm thick
- Glazed on 3 sides
- Glazed enamel

### PRM INSTALLATION

- Requires a recessed installation (at least 20 mm)
- Inside projection under 20 mm
- For dimensions:
  - 90 x 90 cm
  - 100 x 80 cm
  - 120 x 80 cm

### EASE OF INSTALLATION


- Ledge makes shower tray suitable for all shower stalls



#### Square

Extra-slim above-the-floor or inset square shower tray. Comes in 2 dimensions, rear waste 90 mm, glazed on 3 sides. Smooth surface.

**ENC90-00** Shower tray 90 x 90 x 4 cm



**ENC90-00**




#### Rectangle


Extra-slim above-the-floor or inset rectangular shower tray. Comes in 3 dimensions, rear waste 90 mm, glazed on 3 sides. Smooth surface.

**ENF90-00** Shower tray 100 x 80 x 4 cm

**ENG90-00** Shower tray 120 x 80 x 4 cm



**ENF90-00**



**ENG90-00**

### Complete waste



#### E78161-CP Fast-flow waste

Specially designed for extra-slim wastes. Flow rate 54 L/min. Water line 50mm.



#### E78168-CP Extra-slim waste with membrane

Ø 90 mm, 58 to 60 mm required space means reduced recess depth  
Flow rate 36 L/min.  
Water line 25mm.  
Also comes in white: **E78168-00**



#### E6753-CP Waste Ø 90 mm.

Vertical outlet. Chrome ABS cover  
Removable trap for access to pipework  
Flow rate: 50 L/min.  
Water line 50 mm



## Brive shower trays

This new extra-slim, NF-rated shower tray is innovative in two ways: the sandwich design of fibreglass, resins and a layer of PET offers lightness and high weight resistance. The use of recycled PET represents 50% of the total volume and makes it an environmentally-responsible product. The NF-rated tray meets French standards for mechanical and impact resistance, thermal shocks and stains.



### STRENGTH

- Load-bearing resistance measured at 732 kg with no breakage in a raised installation
- Made of Aerobloc, sandwich of composite materials offering lightness and rigidity
- NF-rated: resists impacts, thermal shocks and stains

### EASE OF INSTALLATION

- 3 options: directly on the floor, inset or raised
- Flat, smooth bottom, no need for a recess around waste
- Can be cut with a diamond angle grinder
- Can be repaired onsite
- Reduced weight, only 14 kg/m<sup>2</sup>

### QUALITY AND INNOVATION



- Made of over 50% recycled materials (PET)
- NF-rated acrylic and PN6 anti-slip suitable for PRM users
- Made in France in our Troyes plant
- 10-year guarantee



Square



Rectangle



Mm	E62101	E62102	E62103	E62104	E62105	E62106	E62107
A	800 <sup>±5</sup>	900 <sup>±5</sup>	1000 <sup>±5</sup>	1200 <sup>±5</sup>	1200 <sup>±5</sup>	1400 <sup>±5</sup>	1400 <sup>±5</sup>
B	800 <sup>±5</sup>	900 <sup>±5</sup>	800 <sup>±5</sup>	800 <sup>±5</sup>	900 <sup>±5</sup>	800 <sup>±5</sup>	900 <sup>±5</sup>
E	30	30	35	35	35	40	40

	Dimensions (cm)	White
Square	80 x 80 x 3	<b>E62101-00</b>
	90 x 90 x 3	<b>E62102-00</b>
Rectangle	100 x 80 x 3,5	<b>E62103-00</b>
	120 x 80 x 3,5	<b>E62104-00</b>
	120 x 90 x 3,5	<b>E62105-00</b>
	140 x 80 x 4	<b>E62106-00</b>
	140 x 90 x 4	<b>E62107-00</b>



### Extra-slim waste

Slim shower waste Ø 90 mm, 58 mm required space means reduced recess depth. Flow rate 36 L/min.

**78168-CP Chrome cover**  
**E78168-00 White cover**





FLIGHT SAFE



FLIGHT NEUS

## Flight shower trays with mineral filler PRM

Made from a dual component resin capped with an acrylic layer, **4 cm high** Flight shower trays are extremely sturdy. This combination of materials offers an excellent compromise of strength, resistance and weight. The acrylic finish lowers risk of chipping and presents a glossy, smooth, easy maintenance surface. Flight is a range of large-size shower trays (up to 180 cm), ideal for replacing baths.



### TOUGHNESS

- Resistance tested up to 510 kg
- Lighter than ceramic, heavier than acrylic
- Highly impact resistant
- 10-year guarantee

### EASE OF INSTALLATION

- Flexibility: recessed, floorstanding or raised
- Coordinating accessories: riser kit, extra-slim waste
- Virtually-perfect right angles for a flush installation with tiling
- Dimensionally-precise

### HYGIENE

- Silver-ion antimicrobial treatment incorporated directly into the product
- Glossy, smooth, very easy-to-maintain surface



### Antimicrobial treatment

BioCote® silver-ion technology incorporated directly into the product





- Effectiveness: Reduces bacteria up to 99% in 2 hours
- Safety: It complements usual cleaning, acting as a second protection 24/7
- Durability: Maintains its antimicrobial properties during the tray's lifetime. Will not wear off, thin or fade away.

## Safety

### OPTIONAL: Class C anti-slip surface

- **Excellent level of adherence\***
- Matte stain-resistant finish
- Easy clean surface, pleasant to the touch
- 10-year guarantee\*\*



Angle of inclination			French standard XP 05-010	German standard DIN 51097
6° to 12°	Mini AFISB		PN6	
12° to 18°	Average adherence		PN12	A
18° to 24°	High adherence		PN18	B
> 24°	Very high adherence		PN24	C

\*Performance certified per CSTB testing on inclined surface with slope angle over 30°

\*\* 10-year guarantee for household use and 5-year guarantee for institutional use (e.g., hotels, hospitals, sports and wellness facilities)

Recommended accessibility dimensions for all available options: see page 38.



**Flight floor or inset shower trays,**  
height 4 cm, no Ø 90 mm waste supplied.

**E62483-00** Gloss white rectangular shower tray  
170 x 90 cm.

**E62483-F\*** Shower tray with white/coloured  
anti-slip glaze 170 x 90 cm.

**E62482-00** Gloss white rectangular shower tray  
160 x 90 cm.

**E62482-F\*** Shower tray with white/coloured  
anti-slip glaze 160 x 90 cm.

**E62481-00** Gloss white rectangular shower tray  
140 x 90 cm.

**E62481-F\*** Shower tray with white/coloured  
anti-slip glaze 140 x 90 cm.

**E62453-00** Gloss white rectangular shower tray  
140 x 80 cm.

**E62453-F\*** Shower tray with white/coloured  
anti-slip glaze 140 x 80 cm.

**E62451-00** Gloss white rectangular shower tray  
120 x 90 cm.

**E62451-F\*** Shower tray with white/coloured  
anti-slip glaze 120 x 90 cm.

**E62450-00** Gloss white rectangular shower tray  
120 x 80 cm.

**E62450-F\*** Shower tray with white/coloured  
anti-slip glaze 120 x 80 cm.



**E62462-00** Gloss white square shower tray  
100 x 100 cm.


**E62462-F\*** Shower tray with white/coloured  
anti-slip glaze 100 x 100 cm.



**E62442-00** Gloss white square shower tray  
90 x 90 cm.

**E62442-F\*** Shower tray with white/coloured  
anti-slip glaze 90 x 90 cm.

**Wastes and accessories: see page 108.**



mm	E62442	E62462
A	900	1000
B	14	12
	9	9



mm	A	B	C	D
E62450-00	1200	800	25	9
E62451-00	1200	900	25	9
E62453-00	1400	800	25	5
E62481-00	1400	900	25	4
E62482-00	1600	900	24	4
E62483-00	1700	900	24	4

White - 00

Matte Satin Silver - S21

Matte Anthracite Grey - M53

Matte Taupe - M65

## Flight Neus shower trays PRM

Combining all the benefits of the Flight material, the new range of shower trays offers a discrete wetroom effect with no installation constraints.

### Flight Neus - all the benefits of Flight and more:

#### DESIGN

- Total accessibility
- Rectangular channel at the end of the tray, discreetly topped with an extra-slim cover
- Personalisable cover: 4 colours available

#### EASE OF INSTALLATION

- Aluminium frame that is adjustable heightwise and lengthwise
- Built-in spirit levels and clip-on feet, adjustable on top
- Extra-slim waste included



Square

Rectangle


Dimensions (cm)	Code	Optional anti-slip surface	Technical drawings																																																																																																																									
80 x 80 x 4	E66510-00	E66510-F-00		<table><tr><th>Mm</th><th>A</th><th>B</th><th>C (top side)</th><th>D (underside)</th><th>E (top side)</th><th>F (underside)</th><th>Y</th></tr><tr><td>E62510-00</td><td>800</td><td>800</td><td>678</td><td>688</td><td>143</td><td>159</td><td>18</td></tr><tr><td>E62511-00</td><td>1900</td><td>900</td><td>778</td><td>790</td><td>143</td><td>159</td><td>16</td></tr><tr><td>E62512-00</td><td>1000</td><td>800</td><td>678</td><td>688</td><td>143</td><td>159</td><td>18</td></tr><tr><td>E62513-00</td><td>1200</td><td>800</td><td>678</td><td>688</td><td>143</td><td>159</td><td>18</td></tr><tr><td>E62514-00</td><td>1200</td><td>900</td><td>778</td><td>790</td><td>143</td><td>159</td><td>16</td></tr><tr><td>E62515-00</td><td>1400</td><td>800</td><td>678</td><td>688</td><td>143</td><td>159</td><td>18</td></tr><tr><td>E62516-00</td><td>1400</td><td>900</td><td>778</td><td>790</td><td>143</td><td>159</td><td>16</td></tr><tr><td>E62517-00</td><td>1000</td><td>700</td><td>578</td><td>591</td><td>143</td><td>159</td><td>11</td></tr><tr><td>E62518-00</td><td>1400</td><td>800</td><td>578</td><td>591</td><td>143</td><td>159</td><td>11</td></tr><tr><td>E62519-00</td><td>1500</td><td>800</td><td>678</td><td>688</td><td>143</td><td>159</td><td>18</td></tr><tr><td>E62520-00</td><td>1600</td><td>800</td><td>678</td><td>688</td><td>143</td><td>159</td><td>18</td></tr><tr><td>E62521-00</td><td>1600</td><td>900</td><td>778</td><td>790</td><td>143</td><td>159</td><td>16</td></tr><tr><td>E62522-00</td><td>1700</td><td>800</td><td>678</td><td>688</td><td>143</td><td>159</td><td>18</td></tr><tr><td>E62523-00</td><td>1800</td><td>800</td><td>678</td><td>688</td><td>143</td><td>159</td><td>18</td></tr></table>	Mm	A	B	C (top side)	D (underside)	E (top side)	F (underside)	Y	E62510-00	800	800	678	688	143	159	18	E62511-00	1900	900	778	790	143	159	16	E62512-00	1000	800	678	688	143	159	18	E62513-00	1200	800	678	688	143	159	18	E62514-00	1200	900	778	790	143	159	16	E62515-00	1400	800	678	688	143	159	18	E62516-00	1400	900	778	790	143	159	16	E62517-00	1000	700	578	591	143	159	11	E62518-00	1400	800	578	591	143	159	11	E62519-00	1500	800	678	688	143	159	18	E62520-00	1600	800	678	688	143	159	18	E62521-00	1600	900	778	790	143	159	16	E62522-00	1700	800	678	688	143	159	18	E62523-00	1800	800	678	688	143	159	18
Mm	A	B			C (top side)	D (underside)	E (top side)	F (underside)	Y																																																																																																																			
E62510-00	800	800			678	688	143	159	18																																																																																																																			
E62511-00	1900	900	778	790	143	159	16																																																																																																																					
E62512-00	1000	800	678	688	143	159	18																																																																																																																					
E62513-00	1200	800	678	688	143	159	18																																																																																																																					
E62514-00	1200	900	778	790	143	159	16																																																																																																																					
E62515-00	1400	800	678	688	143	159	18																																																																																																																					
E62516-00	1400	900	778	790	143	159	16																																																																																																																					
E62517-00	1000	700	578	591	143	159	11																																																																																																																					
E62518-00	1400	800	578	591	143	159	11																																																																																																																					
E62519-00	1500	800	678	688	143	159	18																																																																																																																					
E62520-00	1600	800	678	688	143	159	18																																																																																																																					
E62521-00	1600	900	778	790	143	159	16																																																																																																																					
E62522-00	1700	800	678	688	143	159	18																																																																																																																					
E62523-00	1800	800	678	688	143	159	18																																																																																																																					
90 x 90 x 4	E66511-00	E66511-F-00																																																																																																																										
100 x 70 x 4	E66517-00	E66517-F-00																																																																																																																										
100 x 80 x 4	E66512-00	E66512-F-00																																																																																																																										
100 x 90 x 4	E66550-00	E66550-F-00																																																																																																																										
120 x 70 x 4	E66518-00	E66518-F-00																																																																																																																										
120 x 80 x 4	E66513-00	E66513-F-00																																																																																																																										
120 x 100 x 4	E66514-00	E66514-F-00																																																																																																																										
120 x 90 x 4	E66551-00	E66551-F-00																																																																																																																										
140 x 70 x 4	E66552-00	E66552-F-00																																																																																																																										
140 x 80 x 4	E66515-00	E66515-F-00																																																																																																																										
140 x 90 x 4	E66516-00	E66516-F-00																																																																																																																										
140 x 100 x 4	E66553-00	E66553-F-00																																																																																																																										
150 x 80 x 4	E66519-00	E66519-F-00																																																																																																																										
160 x 80 x 4	E66520-00	E66520-F-00																																																																																																																										
160 x 90 x 4	E66521-00	E66521-F-00																																																																																																																										
170 x 80 x 4	E66522-00	E66522-F-00																																																																																																																										
180 x 80 x 4	E66523-00	E66523-F-00																																																																																																																										

Shower tray width (mm)

X	Y	Z
700	40	11
800	40	18
900	40	16

Shower tray width	Cover colour				
	White -00	Matte White F-00*	Matte Satin Silver -S21*	Matte Anthracite Grey -M53*	Matte Taupe -M65*
70 cm	E62C70-00	E62C70-F-00	E62C70-S21	E62C70-M53	E62C70-M65
80 cm	E62C80-00	E62C80-F-00	E62C80-S21	E62C80-M53	E62C80-M65
90 cm	E62C90-00	E62C90-F-00	E62C90-S21	E62C90-M53	E62C90-M65

\*Anti-slip



### Riser kit



#### Riser kit including:

Aluminium structure (frame + adjustable feet) with built-in spirit levels + acrylic panel (White-00) supplied with 2 trimmable sections to clip under the shower tray. Width 80 cm

**E62524-GA** Riser kit for shower trays maximum size 120 cm

**E62525-GA** Riser kit for shower trays starting at 140 cm





## Surface shower trays in Neoquartz PRM

Made of Neoquartz, this range of extra-slim shower trays combines style, elegance and toughness. Surface offers a streamlined, sophisticated showering experience with no installation constraints. 10-year guarantee. Recessed version suits people with reduced mobility (Anti-slip rating: PN24-class C).

### INNOVATIVE MATERIAL

- Composed of resin and 75% quartz powder
- Colour-processed shower tray
- Can be cut with a diamond angle grinder

### HIGH RESISTANCE






- Stiffness and stability thanks to more mineral filler
- High resistance to abrasion and scratches

### UPSCALE DESIGN

- Natural slate look
- Extra-slim 30 mm
- Discreet stainless steel waste cover
- Anti-slip rating: PN24-class C



Gypsum white - SS2



Mm	A	B
E62624	900 <sup>3/8</sup>	900 <sup>3/8</sup>
E62625	1000 <sup>3/8</sup>	800 <sup>3/8</sup>
E62626	1000 <sup>3/8</sup>	900 <sup>3/8</sup>
E62627	1200 <sup>3/8</sup>	800 <sup>3/8</sup>
E62628	1200 <sup>3/8</sup>	900 <sup>3/8</sup>

Mm	A	B
E62629	1400 <sup>3/8</sup>	800 <sup>3/8</sup>
E62630	1400 <sup>3/8</sup>	900 <sup>3/8</sup>
E62631	1600 <sup>3/8</sup>	800 <sup>3/8</sup>
E62632	1600 <sup>3/8</sup>	900 <sup>3/8</sup>
E62633	1700 <sup>3/8</sup>	800 <sup>3/8</sup>
E62634	1700 <sup>3/8</sup>	900 <sup>3/8</sup>
E62635	1800 <sup>3/8</sup>	800 <sup>3/8</sup>

	Dimensions (cm)	Gypsum White
Square	90 x 90 x 3	<b>E62624-SS2</b>
	100 x 80 x 3	<b>E62625-SS2</b>
	100 x 90 x 3	<b>E62626-SS2</b>
	120 x 80 x 3	<b>E62627-SS2</b>
	120 x 90 x 3	<b>E62628-SS2</b>
Rectangle	140 x 80 x 3	<b>E62629-SS2</b>
	140 x 90 x 3	<b>E62630-SS2</b>
	160 x 80 x 3	<b>E62631-SS2</b>
	160 x 90 x 3	<b>E62632-SS2</b>
	170 x 80 x 3	<b>E62633-SS2</b>
	170 x 90 x 3	<b>E62634-SS2</b>
	180 x 80 x 3	<b>E62635-SS2</b>

### Order cover and waste separately

### Code

Cover in brushed stainless steel for shower tray 90 to 120 cm

**E62620-VS**

Cover in brushed stainless steel for shower tray 140 to 180 cm


**E62621-VS**

Drain outlet 40 mm (compatible with all sizes). Flow rate: 30 L/min.


**E62622-NF**

Drain outlet 50 mm (compatible with all sizes). Flow rate: 30 L/min.

**E62623-NF**



**E62622**




**E62623**







**E78168 Extra-slim waste with membrane**  
 Finish: -CP (Chrome)  
 -00 (White)  
 Ø 90 mm, 58 to 60 mm required space means  
 reduced recess depth  
 Flow rate 36 L/min.  
 Water line 25mm.




**E78161-CP Fast-flow waste**  
 Specially designed for extra-slim wastes.  
 Flow rate 54 L/min.  
 Water line 50mm.




**E6753-CP Waste Ø 90 mm.**  
 Vertical outlet. Chrome ABS cover  
 Removable trap for access to pipework  
 Flow rate: 50 L/min.  
 Water line 50 mm




**E61406-00 Fold-up shower seat.**  
 Fixing plate in stainless steel.  
 Folded up seat takes up little space  
 (depth 48 mm),  
 maximum load 160 kg.




**E62499-00 Access ramp for reduced mobility individuals** in reinforced gel coat.  
 Height 4 cm, perfectly suits Flight shower trays.  
 Trimmable width.



**E13438-CP Coralais grip bar.**



**E72373-CP - Coralais - angled grip bar.**



## FRENCH STANDARD NF P99-611 ON ACCESSIBILITY



PRM

Public areas with access for the disabled, especially for wheelchair users, must include adapted entrances, barrier-free spaces to move inside and accessible exits. All facilities must be accessible with no restrictions. Devices for operating entrance doors must be installed at a height of 1.10 – 1.30 m from the floor.

For wheel-chair users, the following dimensions must be considered:

- 1.25 m length (incl. footrest)
- 0.75 m width (incl. space for arms and elbows, see EF P91-201)

NB: these accessible zones may also be used by people pushing a pram, luggage trolley, etc.

Accessible public zones must have at least one lavatory facility for the disabled per these standards – as well as pathways/passageways leading to same (P98-350 in France).

### General characteristics for facilities under the Order of 1 August 2006, art. 11:

- A maneuvering space corresponding to a diameter of 1500 mm to allow for a full turn. This space must be obstacle-free.
- These facilities must be usable for people in both “standing” or “sitting” positions, and be situated at a height of 900 to 1300 mm.

### Seat and fittings must present the following features, under the Order of 1 August 2006, art. 12:

- The top of the seat (lid included) must be situated at a height of 450 to 500 mm.
- The centre line of the seat must be 400 mm from the side wall and 500mm from the rear wall.
- The space for using the bowl must be as close to it as possible: the wheelchair must be positioned parallel to the toilet
- A side grab bar enabling the transfer must be situated at a height of 700 to 800 mm.
- The toilet paper roll must be situated at a maximum height of 1300 mm.

### Handwash basins must present the following features, under the Order of 1 August 2006, art. 11:

- The top of the basin bowl must be situated at a height of 800 mm.
- The handwash basin must be 300 mm deep, 600 mm wide and 700mm high to allow foot and knee clearance for the wheelchair user.

### Bathroom in new housing units – Modified article of 24/12/2015

#### Provisions relative to bathroom adaptability

For building permits starting 1 January 2008, at least one bathroom must be fitted so that an accessible shower can be installed. When a shower is not installed from the outset, later refitting must be possible without involving structural work, by planning a sufficient volume and water outlet positions at the design stage. When the dwelling includes several bathrooms, the fitted bathroom is situated at the accessible level.

#### Features for an accessible, usable bathroom

It includes a rectangular space of at least 0.90 m × 1.20 m in which a shower tray may be installed.

This space is accessible via a parallel area, situated to the right of the largest side.

Later installation of an accessible shower must be possible without modifying bathroom volume, except for possibly adding a WC. Any projection on the accessible shower stall should be minimal in order to allow safe access.

### Close-up on shower trays

Projections (inside and outside) on extra-low shower trays must be less than or equal to 2 cm, beveled or with rounded edges.

Note: The shower tray may be inset by complying with the manufacturer's installation recommendations in order to meet the 2 cm requirement for the outer ledge.





# Institutional

## SANITARYWARE

112 - 124

Elongated wall-hung toilets

Rimmed or rimless wall-hung toilets

Raised WC pans

Vanity tops

Vanity basins, washbasins and handwash basins

## Rimless toilets

### EFFECTIVE WASTE DRAINAGE

Powerful flush guarantees optimal bowl coverage

### EFFECTIVE RINSE

Efficient design directs water to the front of the bowl

### EASY UPKEEP AND MAXIMUM HYGIENE


No rim: every nook and cranny is accessible



**EDM112-00 Vox – WC Pack, rimless wall-hung toilet** 50 x 36 cm. Dual 3/6 L flush. Invisible fixings supplied. Thermoset extra-slim slow close removable seat, metal hinges.

**EDM102-00 Vox Smooth-sided rimless wall-hung toilet** 50 x 36 cm. Dual 3/6 L flush. Invisible fixings supplied.

**E20142-00** Thermoset extra-slim, slow-close, removable seat, metal hinges.



### WATER CONSERVATION

**EDR112-00 Odéon Rive Gauche - WC pack, rimless wall toilet** 54 x 36.2 cm. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush. Thermoset seat, metal hinges



**EDR132-00 Odéon Rive Gauche - WC pack, rimless wall toilet** 54 x 36.2 cm. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush. Thermoset extra-slim, slow-close removable seat, metal hinges.

**EDR102-00 Odéon Rive Gauche – Rimless wall-hung toilet** 54 x 36.2 cm. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush.

**E24888-00** Thermoset seat, stainless steel hinges.

**E24889-00** Thermoset extra-slim slow-close, removable seat.

**EDR002-00 Rimless wall-hung toilet** 54 x 36.2 cm, no seat hole. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush.



### WATER CONSERVATION

**EF0409-00 Odéon Up Rimove pack - Rimless wall-hung toilet** 54 x 36.5 cm.

Water-efficient dual 2.6/4 L flush or standard 3/6 L flush. 6 L

Thermoset extra-slim anti-bacterial, removable, slow-close seat, stainless steel hinges.



**EF4570-00 Odéon Up Rimove pack - Rimless wall-hung toilet** 54 x 36.5 cm. Water-efficient dual 2.6/4 L flush or standard 3/6 L flush.

**8407K-00** Thermoset seat, stainless steel quick-fix hinges.

**8409K-00** Thermoset removable slow-close seat, metal hinges. stainless steel hinges.

**8322K-00** Thermoset extra-slim anti-bacterial, removable slow-close seat, stainless steel hinges.

**E4570-Y1-00 Odéon Up Rimove, no seat hole.**



EDR112

EDR132



**EDE112-00 Struktura - WC pack, rimless wall-hung toilet** 54 x 34 cm. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush. Thermoset seat, metal hinges.




**EDE122-00 Struktura - WC pack, rimless wall-hung toilet** 54 x 34 cm. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush. Thermoset slow-close removable seat, metal hinges.

**EDE101-00 Struktura - Rimless wall-hung toilet** 54 x 34 cm. Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush.

**E4270-00** Thermoset seat, stainless steel hinges.

**E70024-00** Thermoset slow-close removable seat.

**E20606-00** Thermoset extra-slim slow-close removable seat, metal hinges.






## Rimmed and rimless wall-hung toilets, short-projection wall-hung toilets



**EDV101-00 Patio - Rimless wall-hung toilet** 53.5 x 36 cm. Dual 3/6L flush.

**NF E4303-00** Thermoset seat, metal hinges.

**NF E70021-00** Thermoset extra-slim removable slow-close seat.



## Rimmed wall-hung toilets






WATER CONSERVATION

BUILDING & RENOVATION

**NF E4345-00 Brive - Wall-hung bowl** 52 x 36 cm. Dual 2.6/4 L or 3/6 L flush.



**E4359G-00** Thermoset seat, metal hinges.

**E70014-00** Slow-close, polypropylene seat, plastic hinges.






BUILDING & RENOVATION

**NF E4345-Y1-00 Brive - Wall-hung toilet** no seat holes 52 x 36 cm. Dual 2.6/4 L or 3/6 L flush.



**NF E1755-00 Institutional - Wall-hung pan** 53.5 x 35.5 cm, no seat holes, with integral ceramic seat. Dual 2.6/4 L or 3/6 L flush.








## Wall-hung toilets, short-projection wall-hung toilets, elongated wall-hung toilets







### Compact wall-hung toilets



- EDF101-00 Kompakta – Compact rimless wall-hung toilet** 54 x 34 cm.  
Water-saving dual 2.6/4 L flush or standard dual 3/6 L flush
- E4272-00** Compact thermoset seat, stainless steel hinges.
- E70025-00** Compact thermoset extra-slim slow-close, removable seat, metal hinges.



- NF E1534-00 Patio - Compact wall-hung toilet**  
48 x 35.5 cm. Dual 3/6 L flush.
- NF E1534-Y1-00 Patio - Compact wall-hung toilet**  
48 x 35.5 cm, no seat holes. Dual 3/6 L flush.
- NF E4304-00** Thermoset seat, metal hinges.






### Elongated wall-hung toilets






- PRM**
- NF E1195-00 Odéon - Elongated wall-hung toilet** 71 x 36 cm, compliant with PRM regulations. Side access via transfer movement from wheelchair. Dual 3/6 L flush.



- NF E4750-00** Thermoset seat, stainless steel quick-fix hinges.



- PRM**
- E1195-Y1-00 Odéon - Elongated wall-hung toilet without seat holes** 71 x 36 cm, compliant with PRM regulations. Side access via transfer movement from wheelchair. Dual 3/6 L flush.



# Toilet support frames and flush plates



**NF E24155-NF Self-supporting toilet frame with 3/6 L cistern**

**NF E31669-NF Self-supporting toilet frame with 2.6/4L cistern**

## PRATIQUE

- Height: 1150 mm  
Can be installed in narrow spaces thanks to small width.  
Recessed depth: minimum 180 mm
- Factory-assembled stop valves in the rear, left-or right-hand connection possible
- Exclusively-designed Jacob Delafon flush plate
- Universal: Centre-to-centre distance for wall-hung toilets 180 mm and 230 mm

## STURDY

- Steel frame with high-performance anti-corrosion treatment can withstand up to 400 kg

## ADJUSTABLE

- Self-supporting feet: adjustable from 0 - 200 mm  
Simplified adjustment system: Braking system keeps support frame at the right height after adjustment, so frame can be installed by one person.

## FAST


Fixings are locked into place with a "quarter-turn" mechanism – no tools needed

## EASY MOUNTING AND MAINTENANCE

PVC outlet elbow pivots 180°. Fixings clip onto support frame.

Back plate with an opening for fast access to stop valve.  
Wide service hatch for easy access to the flush mechanism.


Easy maintenance: a QR code printed on the inside of the cistern links to spare parts list.



**E24155**



**E20858-00**




**E20858-CP**

**NF E20858 Dual button flush plate**

White -00  
Chrome -CP




**E20859-00-MWH**




**E20859-CP-MTC**

**E20859 Dual button flush plate**

Matte White & Gloss White -00-MWH  
Matte White & Polished Chrome -CP-MWH  
Matte Chrome & Polished Chrome -CP-MTC  
Matte Black & Gloss Black 7-BMT



**E20859-7-BMT**




**E20859-CP-MWH**

## Close-coupled toilets




E4380

- BUILDING & RENOVATION**
- NF E0383-00 Brive – WC pack, P-trap.**  
66 x 36.5 cm. Complete factory-fitted cistern with water-saving 3/6L flush, class 1 quiet float valve, side inlet. Polypropylene toilet seat E4357G adjustable metal hinges. Quick floor fixing kit supplied.




E4380 + E4452




E4381

- NF E4380-00 Brive – P-trap toilet**  
66 x 36.5 cm. Dual 3/6 L flush.
- NF E4381-00 Brive – P-trap toilet.**  
68 x 36.5 cm. Dual 3/6 L flush.
- NF E4452-00** Complete factory-fitted cistern with water-saving 3/6L flush, class 1 quiet float valve, side inlet.
- NF E4453-00** Complete factory-fitted cistern with water-saving 3/6L flush, quiet float valve, bottom inlet.
- NF E4357G-00** Polypropylene seat, adjustable metal hinges.

E4380 + E4453



E4381 + E4452




E4381 + E4453



E0403

- BUILDING & RENOVATION**
- NF E0403-00 Eolia – WC pack, P-trap.**  
67 x 36 cm, complete factory-fitted cistern with water-saving 3/6L flush, class 1 quiet float valve, side inlet, polypropylene seat. Quick floor fixing kit not supplied. Comes in model with bottom inlet: **E24448-00**




## WC pans




**NF E4455-00 Brive - P-trap toilet**  
51 x 36 cm, dual 3/6 L flush.

**NF E4357G-00** Polypropylene seat, adjustable metal hinges.




**NF E1639-00 Institutional - WC pan, concealed center S-trap**  
46.5 x 36 cm. Dual 3/6 L flush.

**E4357G-00** Polypropylene seat, adjustable metal hinges.




**NF E1752-00 Institutional - WC pan, P-trap.**

52 x 36 cm.  
No seat holes, with built-in ceramic seating. Dual 3/6 L flush.



**NF E1445-00 Maternelle - WC pan, P-trap**


40 x 26 cm, with integral ceramic seat.



**NF E1738-00 Institutional - Raised WC pan**


56 x 36 cm, P-trap.  
4 floor anchor points for maximum stability.  
Height 49 cm.  
Dual 3/6 L flush

**NF E4357G-00** Polypropylene seat, adjustable metal hinges.



**NF E1751-00 Institutional - Raised WC pan**

56 x 35.5 cm, P-trap.  
4 floor anchor points for maximum stability, no toilet seat, with integral ceramic seat.  
Height 49.5 cm.  
Dual 3/6 L flush.





## Urinals



EZA022



EZA122



EZA032



EZA222



### Urinals with water spreaders - rimless



#### EZA022-00 Struktura - Urinal

33 x 71 x 30 cm, water-saving 0.6 L.  
Built-in supply and drainage  
Supplied with complete fittings (concealed fixings, water spreader, connection hose, supply tube, strainer waste and polypropylene siphon).



#### EZA122-00 Struktura - Urinal

33 x 71 x 30 cm, water-saving 0.6 L.  
Built-in supply and drainage.  
Supplied with complete fittings (concealed fixings, water spreader, connection hose, supply tube, strainer waste and polypropylene siphon).

#### EZA032-00 Struktura - Urinal


33 x 71 x 30 cm, water-saving 0.6 L.  
Electronic sensor.  
Built-in supply and drainage.  
Supplied with complete fittings (concealed fixings, waterless system, including a silicone valve, removable deodorizer cone, retention grid, assembly key to keep for maintenance).

#### EZA222-00 Struktura - Urinal

33 x 71 x 30 cm, water-saving 0.6 L.  
Waterless, built-in drainage.  
Supplied with complete fittings (concealed fixings, waterless system, including a silicone valve, removable deodorizer cone, retention grid, assembly key to keep for maintenance).

**E6372-NF** Deodorizer cone - Replace after 21,000 uses.

**E6373-NF** Assembly/removal key for deodorizer cone and valve.




### Odéon urinal

**E1147-00 Odéon** - Siphon-action urinal  
53 x 30.6 cm.

**E75513-NF** Connection kit

**E6807-NF** P-trap



## Urinals



**Siphon-action urinals - rimmed**  
**NF E1545-00 Patio - Urinal** 33 x 63 x 33 cm, exposed supplies and drainage. Complete fittings supplied E74192-NF: fixings E4598, water spreader E74203, strainer waste E78166, S-trap siphon E6334.

**NF E1546-00 Patio - Urinal** 33 x 63 x 33 cm, exposed supplies and recessed drainage. Supplied with complete fittings E74193-NF: fixings E4598, water spreader E74203, tube E74186, strainer waste E78166, P-trap siphon E6333.

**NF E1548-00 Patio - Urinal** 33 x 63 x 33 cm, built-in supplies and drainage. Supplied with complete fittings E74194-NF: fixings E4598, water spreader E74203, hose 74187, strainer waste E78166, P-trap siphon E6333.

**E74551-CP** Time-delay valve for siphon action G3/4.

**E1547-00 Patio - Urinal with an electronic sensor** 33 x 63 x 33 cm. Built-in supply and drainage. Supplied with batteries and complete fittings: waste E6333, fixings E4598, water spreader E74203, strainer waste E78166, P-trap siphon E6333, hose E74187.

Recommended minimum pressure: 1 bar.

**E6331-NF** Optional vandal-proof plate

### BUILDING & RENOVATION

#### Coquille water-spreader urinals **E0399-00 Coquille 2 - Pack with unfitted urinal E1519**

31 x 41.5 cm, fixings E4535, supply tube Ø32 E74197, chrome water spreader, polypropylene waste and siphon E74560, timed valve G1/2 with flow adjustment E74188.



### BUILDING & RENOVATION


**NF E1519-00 Coquille 2 - Unfitted urinal** 31 x 41.5 cm.

**E74560-CP** Complete fittings (chrome water spreader, polypropylene siphon and waste).


**E74197-CP** Supply tube.

**E4535-NF** Hook for frontal installation.


**E4536-NF** Corner hook.




**E1545**





**E1546**



**E1548**



**E1547**







# Squat toilets and urinal stalls



**E1599-00 Urinal divider** with hook  
E4535 and bracket 38 x 57.5 cm.




**EN498-00 Murale 2 - Wall-hung urinal stall** 48 x 65 cm.  
**EN480-00** Upper seam cover.  
**E4598-NF** Pair of cast iron attachments for installation in rows.




**BUILDING & RENOVATION**

**E1491-00 Bourguignon 2 - Inset squat toilet** 55 x 63 cm.  
Mount with siphons or standard elbows.



# Institutional washbasins



- NF EN290-00 Duo - Washbasin** 100 x 36.5 cm.
- EN281-00** Back slab with tap holes.
- EN291-00** Lower seam cover mounted with back slab.
- EN292-00** Lower seam cover mounted without back slab.
- EN293-00** Seam cover for back slab EN281-00 in row installation.



**Struktura - Washbasins**  
with single tap holes, no overflow holes. Self-supporting.  
Comes in 5 sizes:

- NF EGC011-00**  
Washbasin 65 x 48 cm.
- NF EGD011-00**  
Washbasin 60 x 48 cm.
- NF EGE011-00**  
Washbasin 55 x 48 cm.
- EGF011-00**  
Washbasin 50 x 48 cm.
- NF EGG011-00**  
Washbasin PRM 60 x 54 cm.

**E77076-CP** Towel rail for washbasin 65 cm.

**E77852-CP** Towel rail for washbasin 60 cm.


**E77077-CP** Towel rail for washbasin 55 cm.

**E77078-CP** Towel rail for washbasin 50 cm.


**18565W-00** Pedestal.

**18566W-00** Semi-pedestal for washbasins 60/65 cm.


**19085D-00** Semi-pedestal for washbasins 50/55 cm.




EGC011




EGD011



EGE011



EGF011



EGG011




**Patio - Washbasins** with single tap holes, no overflow holes  
Comes in 3 sizes:


- NF E1998-X5-00**  
Washbasin 66 x 52,5 cm.
- NF E4159-X5-00**  
Washbasin 60 x 47 cm.
- NF E4158-X5-00**  
Washbasin 55 x 45 cm.

**15537K-00** Pedestal.


**19085D-00** Semi-pedestal.



E1998



E4159



E4158

# Inset vanity tops and counter sinks






BUILDING & RENOVATION

NF

**E4155-X5-00 Patio – Inset vanity basin**  
 56 x 43 cm, 1 tap hole, no overflow hole.




NF

**ESA01-00 Delta - Counter sink**  
 50 x 40 cm no overflow, glazed on 3 sides for installation against wall.  
 Recommended waste: Grid waste 62mm E78561.

NF

**EVH001-00 Delta - Counter sink**  
 50 x 40 cm without overflow, glazed on 4 sides.  
 Recommended waste: Trap with fixed overlap cover 46mm E78293.



## Accessories



E1583G-00 Shelf

60 x 14 cm.







# Handwash basins






**Odéon Up - Handwash basin**  
 with no overflow hole  
 40 x 25 cm.



**E4759C-X5-00** 1 left tap hole.  
**E4799C-X5-00** 1 right tap hole.






**E4699-00 Odéon Up - Compact handwash basin**  
 50 x 22 cm, 2 pre-drilled side tap holes, no overflow hole.






**EGH011-00 Struktura - Handwash basin**  
 no overflow hole 45 x 35 cm,  
 1 tap hole



**E77080-CP** Towel rail for handwash basin 45 cm



**E4144-00 Patio - Handwash basin**  
 45 x 35 cm, 1 tap hole,  
 no overflow hole.



## Wash sink, slop sinks and Maternelle bath




### **CN176-00 - Wash sink with complete waste including:**

**EN176-00** Wash sink, 64 x 60 cm, pre-drilled 1 tap hole.

**E78176-CP** Complete system with waste, tubing, and overflow.

**E6632-NF** Optional washboard.




**NF E1898-00 Norma - Wall-hung slop sink** inserts supplied, 45 x 35 cm, no holes

**NF E1899-00 Norma - Wall-hung slop sink** inserts supplied, 45 x 35 cm, holes.


**E5597-NF** Bucket support for slop sink E1899.

**E4598-NF** Set of 2 cast-iron fixings.




**NF EN445-00 Beaujon 2 - Slop sink P-trap**


41.5 x 54 cm supplied with complete fittings: Removable stainless steel grate C25546000, rigid PVC inserts E6536, bottom grate E74147.



**NF E78114-CP Brive - Single-lever wall-mount mixer** with pivot tube. C3 energy- and water-saving. PEX supply hoses. Temperature control ring. Anti-scale aerator.



**E76925-CP Galéo CD - Wall-mount mixer** with swivel tube spout. Ceramic disc valves. Anti-scale aerator. Connectors and wall escutcheons.




### **Maternelle bath**

**E2176-00** Bath 79.5 x 44.5 cm. 45 L.

Optional:

**E4516-NF** Mounting brackets.

**E78170-CP** Waste with stopper




## What are EPDs?

Environmental and Health product declarations communicate information about the life-cycle analysis (LCA) of a particular product. They are based on French NF standards EN 15804+A1 and XP P01-064-CN of April 2014 relative to building products.

These standards call for data on the product's entire life by including manufacturing (with the extraction of raw materials), transport, use, maintenance and end of life (recycling, disposal, etc.).

EPDs give building players a standardized document to analyze and calculate the impacts from selected products when building/renovating.



### HOW TO USE EPDs

An EPD serves to provide information to those who wish to add environmental and health criteria to their usual choices (i.e., technical, esthetic and economic criteria).

They cannot be used to make direct comparisons between products, but can be used to calculate the environmental impacts of a building overall, and assess different building products, materials, etc.

Having an EPD only implies that the manufacturer or the manufacturers' association of the product in question is transparent about the product and communicates about its environmental and health aspects.

With EPDs, Jacob Delafon communicates on the environmental and health features of the following products:

- Acrylic bath 160 x 70 cm to 180 x 80 cm and feet
- Vitreous washbasin 50 x 70 cm, pedestal,
- WC pack (vitreous bowl and tank, flush mechanism, toilet seat)
- Shower tray in glazed fireclay 80 x 80 cm to 90 x 90 cm.
- Brassware (mixer, mechanical and thermostatic single-lever mixer).



The related products are indicated in the Price List with a pictogramme.

Our EPDs or EPD excerpts are available upon request from our Specification department.

### EPDs ARE DIVIDED INTO THREE PARTS:

- Product environmental impacts
- Useful information for assessing health risks: sanitary quality of indoor spaces and water
- Useful information for assessing quality of life in indoor spaces (hygrothermal, acoustic, visual & olfactory comfort).


### EPDs COME IN TWO FORMATS:

- The complete version (approx. 30 pages) that details all technical features relating to the different impact results
- An "Excerpt" version (1 or 2 pages) that summarizes impact results




# Discover the new work tool that you can access from your mobile: [jacobdelafon.fr/pro](https://jacobdelafon.fr/pro)

## ON THE HOME PAGE



- 1 Quickly find a product code or collection in the search bar
- 2 Get contact information
- 3 Follow brand news
- 4 Download documentation

## ON THE PRODUCT PAGE



- 5 Download technical information:
  - technical drawing
  - technical datasheet
  - 2D/3D files
- 6 Obtain product information
- 7 View required and coordinating products
- 8 Click on “Add project” to create your own

By adding products to “My project”, you can download all the technical product information at one time.

# 32 LACQUERS - AVAILABLE IN 3 FINISHES

<b>S14</b> Satin Black <b>274</b> Gloss Black <b>M61</b> Soft Black	<b>S17</b> Satin Anthracite Grey <b>442</b> Gloss Anthracite Grey <b>M53</b> Soft Anthracite Grey	<b>F30</b> Satin White <b>G1C</b> Gloss White <b>M49</b> Soft White	<b>S24</b> Satin Jasmine <b>G1D</b> Gloss Jasmine <b>M56</b> Soft Jasmine
<b>S51</b> Satin Almond <b>G92</b> Gloss Almond <b>M44</b> Soft Almond	<b>S09</b> Satin Nude <b>G1A</b> Gloss Nude <b>M70</b> Soft Nude	<b>S04</b> Satin Beige <b>G97</b> Gloss Beige <b>M40</b> Soft Beige	<b>S07</b> Satin Yellow <b>G60</b> Gloss Yellow <b>M68</b> Soft Yellow
<b>S48</b> Satin Imperial Yellow <b>G1N</b> Gloss Imperial Yellow <b>M86</b> Soft Imperial Yellow	<b>S57</b> Satin La vie en rose <b>G1Q</b> Gloss La vie en rose <b>M89</b> Soft La vie en rose	<b>S44</b> Satin Capucine <b>G1J</b> Gloss Capucine <b>M80</b> Soft Capucine	<b>S45</b> Satin Poppy <b>G1K</b> Gloss Poppy <b>M81</b> Soft Poppy
<b>S08</b> Satin Magma <b>G99</b> Gloss Magma <b>M69</b> Soft Magma	<b>275</b> Satin Raspberry <b>R3</b> Gloss Raspberry <b>M75</b> Soft Raspberry	<b>S16</b> Satin Fuchsia <b>441</b> Gloss Fuchsia <b>M52</b> Soft Fuchsia	<b>S42</b> Satin Pale Pink <b>G1H</b> Gloss Pale Pink <b>M78</b> Soft Pale Pink
<b>S37</b> Satin Old Rose <b>G1B</b> Gloss Old Rose <b>M71</b> Soft Old Rose	<b>S20</b> Satin Plum <b>F26</b> Gloss Plum <b>M63</b> Soft Plum	<b>S56</b> Satin Dark Blue <b>G1P</b> Gloss Dark Blue <b>M88</b> Soft Dark Blue	<b>S06</b> Satin Galaxy <b>G98</b> Gloss Galaxy <b>M67</b> Soft Galaxy
<b>S47</b> Satin Bleu Canard <b>G1M</b> Gloss Bleu Canard <b>M85</b> Soft Bleu Canard	<b>S49</b> Satin Eucalyptus <b>G1O</b> Gloss Eucalyptus <b>M87</b> Soft Eucalyptus	<b>S54</b> Satin Olive Wood <b>G95</b> Gloss Olive Wood <b>M47</b> Soft Olive Wood	<b>S43</b> Satin Menthol <b>G1I</b> Gloss Menthol <b>M79</b> Soft Menthol
<b>F32</b> Satin Frosted Chestnut <b>N23</b> Gloss Frosted Chestnut <b>M59</b> Soft Frosted Chestnut	<b>S32</b> Satin Taupe <b>G80</b> Gloss Taupe <b>M65</b> Soft Taupe	<b>F84</b> Satin Clay <b>G72</b> Gloss Clay <b>M84</b> Soft Clay	<b>S21</b> Satin Titanium Grey <b>N21</b> Gloss Titanium Grey <b>M54</b> Soft Titanium Grey
<b>S25</b> Satin Storm Blue <b>G73</b> Gloss Storm Blue <b>M50</b> Soft Storm Blue	<b>S50</b> Satin Aquamarine <b>G91</b> Gloss Aquamarine <b>M43</b> Soft Aquamarine	<b>S46</b> Satin Medium Grey <b>G1G</b> Gloss Medium Grey <b>M77</b> Soft Medium Grey	<b>S40</b> Satin Slate <b>G1F</b> Gloss Slate <b>M76</b> Soft Slate

# Notes

## CONTACT US

### Technical Support

**Online:** Go to [www.jacobdelafon.fr](http://www.jacobdelafon.fr), click on "Contact Us" and fill in form

**By phone:** +33 03 52 80 00 05 (French speaking only)

*Monday-Friday 9-11 am / 2-5 pm*

### Specification Department

**By phone:** +33 0810 05 89 33\*

*\*Price of a local communication*

Our company reserves the right to modify and/or withdraw any product or colour selection at any time, without advance notice.  
Non-contractual catalogue and visuals, including mood photographs.

*Jacob Delafon*  
PARIS



**LÀ OÙ COMMENCE L'ÉLÉGANCE \***

---

*[www.jacobdelafon.fr](http://www.jacobdelafon.fr)*

Kohler France  
Immeuble Le Cap  
3, rue de Brennus  
93631 La Plaine St Denis CEDEX  
Service Prescription  
0810 05 89 33\*

\*Prix d'une communication locale

**\*Where elegance begins**